

IC 2
NIC 0
AWA 1
RDS 8

INNOVATIVE
ARCHITECTURE

best of best


Creative ceilings
for creative minds

OWAconsult collection

OWA

OWAconsult collection

BY HADI TEHERANI



6 | Flexo



8 | Pix



10 | Oriental



12 | Trapeze



14 | Square



16 | Cloud



18 | Corpus



20 | OWAlight

OWAconsult collection



24 | Unique



30 | OWApplan




32 | RAW



34 | Bamboo



38 | Opus



40 | Creaprint




42 | OWAStripe




44 | Canto




46 | Curve



48 | Selecta




52 | FreeStyle baffles –
Wire suspension



54 | FreeStyle baffles –
with system S 3




54 | FreeStyle
wall absorber




58 | Wallboard




60 | Free space



62 | Art



64 | Luminosonic



66 | OWAlumino



Creative ceilings for creative minds

OWAconsult collection

BY HADI TEHERANI

“More creativity and freedom of thought when designing a ceiling”, that was the objective of our collaboration with the renowned international architect and product designer Hadi Teherani. With the fusion of intuitive design, the latest LED lighting technology and our manufacturing expertise, we have created an exciting range that transcends the visual expectations of a “normal” suspended ceiling. Combine these exciting designs with integration of services, sound absorption, fire resistance, sound attenuation and humidity resistance, the performance characteristics you would expect from OWA, and you arrive at “OWAconsult collection”. To ensure a trouble free installation you can also call on the help of our OWAconsult specialists who are there to provide assistance every step of the way through your project, from design to completion, from concept to reality.




Creative shapes and sizes

Flexo

The attractive, minimalistic appearance of Flexo is available in four module options, 600 x 600 mm, 1200 x 300 mm, 1200 x 600 mm and 1200 x 1200 mm. Installed as a single or multiple module design, Flexo can be combined with energy efficient Flexo LED lights to provide the designer with the freedom to create a ceiling and lighting solution for most interior spaces.



Flexo



Flexo 1



Flexo 2



Flexo 3



Flexo 4

Flexo – mineral tiles

All edges

15

| | Length | Width | Thickness | Part no. | Units/pack | α_w /NRC | Price | Del. Cat. |
|---------|---------|---------|-----------|----------|------------|-----------------|------------------------------|-----------|
| Flexo 1 | 600 mm | 600 mm | 15 mm | 00068084 | 10 | 0.85 | 24,90 €/m² | D |
| Flexo 2 | 1200 mm | 300 mm | 15 mm | 00068085 | 10 | 0.85 | 25,30 €/m² | D |
| Flexo 3 | 1200 mm | 600 mm | 15 mm | 00073869 | 10 | 0.85 | 24,90 €/m² | D |
| Flexo 4 | 1200 mm | 1200 mm | 20 mm | 00068087 | 6 | 0.85 | 40,70 €/m² | D |

Flexo 4 site applied reinforcing spline must be used.

Flexo 1-4 is also available in edge 15b (without extra costs). Thereto, please use the system S 15b OWAline (limited combination possibilities).

Flexo LED – integrated lighting

| | Length | Width | Height | Rating | Performance | Ballast unit | Part no. | Units/pack | Price | Del. Cat. |
|---------------|--|--------|--------|--------|-------------|--------------|----------|------------|---------------------|-----------|
| Flexo LED 1 * | 600 mm | 600 mm | 140 mm | IP 20 | 76 W | LED drivers | 00068617 | 1 | 354,00 €/pce | D |
| Flexo LED 1 A | 600 mm | 600 mm | 110 mm | IP 20 | 54 W | LED drivers | 00070653 | 1 | 390,00 €/pce | D |
| LINECT Unit* | Package for power supply for Flexo LED 1 | | | | | | 00070946 | 1 | 17,40 €/pce | D |

Flexo LED 1: Colour 4000 K, neutral white, includes bulbs, frameless, dimmable DALI


Flexo LED 1 A: Colour 4000 K, neutral white, includes bulbs, with visible frame, suitable only for system S 15b OWAline, dimmable DALI

* Flexo LED 1 and LINECT Unit available only as long as stocks last



S 15a cliq – suspension system

| | Product no. | Product/component description | Units/pack | Price |
|----------|-------------|---|------------------------|--------------------------------------|
| 1 | 12/30/2 | Adjustable hanger with double tension springs diameter: 4 mm, maximum load: 0.25 KN max. range of extension: 270 mm, a wire overhang of at least 15 mm must be provided | 100 pieces | 0,35 €/pce |
| 2 | cliq-15-MR | Main tee height: 38 mm, width: 15 mm, length: 3000 mm, visible side: white | 20 pieces | 2,08 €/m |
| 3 | cliq-15-CT | Cross tee short, joggled height: 38 mm, width: 15 mm length: 300 mm, visible side: white length: 600 mm, visible side: white | 60 pieces 60 pieces | 1,18 €/pce 2,08 €/m |
| 4 | cliq-15-CT | Cross tee long, joggled height: 38 mm, width: 15 mm length: 1200 mm, visible side: white | 60 pieces | 2,08 €/m |
| 5 | 50/15G | Shadow wall angle height: 33 mm, visible width: 15 mm, total width: 30 mm length: 3050 mm, visible side: white | 35 pieces | 2,49 €/m |
| | 8040 | Reinforcing spline 1240 mm, zinc galvanized, to be cut onsite to size 1189 mm | 25 pieces | 2,01 €/m |
| | 8041 | Fixing clip for no. 8040 (8 pieces per tile) | 250 pieces | 0,24 €/pce |
| | 42/15 | Contura-block, height: 8 mm, width: 15 mm, total width: 24 mm, white | 100 pieces | 0,26 €/pce |






Making your point

Pix


A fresh design approach has resulted in Pix, a visual recreation of the original acoustic ceiling tile but with many added benefits. Offering improved acoustic performance and a number of variations, Pix provides the visual contradiction of perforations on an un-perforated surface, but unlike the original design it is available in a number of variations including “holes” in a range of colours! Installed in conjunction with Sinfonia, Pix can be used to create notional zones within a room or just a sophisticated visual effect, especially when combined with our integrated Linear OWAlight.




Pix



Pix 1



Pix 2



Pix 3

Pix – mineral tiles

All edges

15b

| | Length | Width | Thickness | Part no. | Units/pack | α_{w}/NRC | Price | Del. Cat. |
|-------|---------|---------|-----------|----------|------------|------------------|------------------------------|-----------|
| Pix 1 | 600 mm | 600 mm | 15 mm | 00068140 | 10 | 0.85 | 57,30 €/m² | D |
| | 1200 mm | 600 mm | 15 mm | 00075027 | 10 | 0.85 | 57,30 €/m² | D |
| | 1200 mm | 1200 mm | 20 mm | 00068143 | 6 | 0.85 | 72,10 €/m² | D |
| Pix 2 | 600 mm | 600 mm | 15 mm | 00068144 | 10 | 0.85 | 57,30 €/m² | D |
| | 1200 mm | 1200 mm | 20 mm | 00068145 | 6 | 0.85 | 72,10 €/m² | D |
| Pix 3 | 600 mm | 600 mm | 15 mm | 00068146 | 10 | 0.85 | 57,30 €/m² | D |
| | 1200 mm | 1200 mm | 20 mm | 00068147 | 6 | 0.85 | 72,10 €/m² | D |

Pix 1, Pix 2, Pix 3 (1200 x 1200 mm) need to be equipped with 1 pc of reinforcing spline no. 8040 onsite.




S 15b OWAline – suspension system

| | Product no. | Product/component description | Units/pack | Price |
|-----------|-------------|---|------------|-------------------|
| 1 | 12/30/2 | Adjustable hanger with double tension springs diameter: 4 mm, maximum load: 0.25 KN max. range of extension: 270 mm, a wire overhang of at least 15 mm must be provided | 100 pieces | 0,35 €/pce |
| 2 | 3500 | Main tee height: 38 mm, width: 14.3 mm, length: 3000 mm, cross tee slots at 600 mm centres exterior: white, recess: white | 20 pieces | 3,13 €/m |
| 2 | 3501 | Main tee height: 38 mm, width: 14.3 mm, length: 3600 mm, cross tee slots at 1200 mm centres exterior: white, recess: white | 20 pieces | 3,13 €/m |
| 3 | 3512* | Cross tee height: 38 mm, width: 14.3 mm, length: 600 mm exterior: white, recess: white | 60 pieces | 3,13 €/m |
| 4 | 3514* | Cross tee height: 38 mm, width: 14.3 mm, length: 1200 mm exterior: white, recess: white, with central cross tee slot | 60 pieces | 3,13 €/m |
| 4a | 3524* | Cross tee height: 38 mm, width: 14.3 mm, length: 1200 mm exterior: white, recess: white, without central cross tee slot | 60 pieces | 3,13 €/m |
| 5 | 51/32G | Wall angle height: 32 mm, width: 19 mm, length: 3000 mm, visible side: white | 30 pieces | 1,48 €/m |
| 5 | 1456 | Wall angle height: 32 mm, width: 15 mm, length: 3000 mm, upstand: 7.5 mm, visible side: white | 10 pieces | 1,22 €/m |
| | 8040 | Reinforcing spline 1240 mm, zinc galvanized, to be cut onsite to size 1189 mm | 25 pieces | 2,01 €/m |
| | 8041 | Fixing clip for no. 8040 (8 pieces per tile) | 250 pieces | 0,24 €/pce |

Can be combined with OWAlight, page 21.

* When using wall bracket no. 1456 and if additional suspension is not possible, we recommend using connecting profiles no. 3512/3514 with 625/1250 mm. These can be shortened onsite, notched and placed on wall profile no. 1456.





Distinction in design


Oriental

Oriental provides a bold, geometric, interlocking design that encompasses the practical, square ceiling grid within its own identity and enables the installation of modular service elements such as Flexo LED lights where required. Oriental's striking appearance can be illuminated even more with the inclusion of OWAights, the integrated Linear LED's that disappear or appear at the flick of a switch.

Oriental



600 x 600 mm



1200 x 1200 mm

Oriental – mineral tiles

All edges **15b**

| Length | Width | Thickness | Part no. | Units/pack | α_w /NRC | Price | Del. Cat. |
|---------|---------|-----------|----------|------------|-----------------|------------------------------|-----------|
| 600 mm | 600 mm | 15 mm | 00068148 | 10 | 0.85 | 57,30 €/m² | D |
| 1200 mm | 1200 mm | 20 mm | 00068149 | 6 | 0.85 | 72,10 €/m² | D |

Oriental (1200 x 1200 mm) need to be equipped with 1 pc of reinforcing spline no. 8040 onsite.




S 15b OWAline – suspension system

| | Product no. | Product/component description | Units/pack | Price |
|-----------|-------------|---|------------|-------------------|
| 1 | 12/30/2 | Adjustable hanger with double tension springs diameter: 4 mm, maximum load: 0.25 KN max. range of extension: 270 mm, a wire overhang of at least 15 mm must be provided | 100 pieces | 0,35 €/pce |
| 2 | 3500 | Main tee height: 38 mm, width: 14.3 mm, length: 3000 mm, cross tee slots at 600 mm centres exterior: white, recess: white | 20 pieces | 3,13 €/m |
| 2 | 3501 | Main tee height: 38 mm, width: 14.3 mm, length: 3600 mm, cross tee slots at 1200 mm centres exterior: white, recess: white | 20 pieces | 3,13 €/m |
| 3 | 3512* | Cross tee height: 38 mm, width: 14.3 mm, length: 600 mm exterior: white, recess: white | 60 pieces | 3,13 €/m |
| 4 | 3514* | Cross tee height: 38 mm, width: 14.3 mm, length: 1200 mm exterior: white, recess: white, with central cross tee slot | 60 pieces | 3,13 €/m |
| 4a | 3524* | Cross tee height: 38 mm, width: 14.3 mm, length: 1200 mm exterior: white, recess: white, without central cross tee slot | 60 pieces | 3,13 €/m |
| 5 | 51/32G | Wall angle height: 32 mm, width: 19 mm, length: 3000 mm, visible side: white | 30 pieces | 1,48 €/m |
| 5 | 1456 | Wall angle height: 32 mm, width: 15 mm, length: 3000 mm, upstand: 7.5 mm, visible side: white | 10 pieces | 1,22 €/m |
| | 8040 | Reinforcing spline 1240 mm, zinc galvanized, to be cut onsite to size 1189 mm | 25 pieces | 2,01 €/m |
| | 8041 | Fixing clip for no. 8040 (8 pieces per tile) | 250 pieces | 0,24 €/pce |

Can be combined with OWAlight, page 21.

* When using wall bracket no. 1456 and if additional suspension is not possible, we recommend using connecting profiles no. 3512/3514 with 625/1250 mm. These can be shortened onsite, notched and placed on wall profile no. 1456.






A revolution in ceiling design

Trapeze

Creating an inspired design with integrated lighting, acoustic performance and aesthetics all in one ceiling can only be the result of inspired design and lateral thinking. With its delicate diagonal and perpendicular lines emphasized by the soft complementary, energy efficient Trapeze LED, this design offers a subtle visual interest that can be made even more striking by the inclusion and skilful placing of OWALights, the integrated Linear LED's that disappear or appear at the flick of a switch.

Trapeze



Trapeze 4

Trapeze – mineral tiles

All edges

15b

10

| | Length | Width | Thickness | Part no. | Units/pack | α_w /NRC | Price | Del. Cat. |
|-----------|---------|------------|-----------|----------|------------|-----------------|------------------------------|-----------|
| Trapeze 1 | 1200 mm | 400/200 mm | 20 mm | 00068150 | 16 | 0,85 | 52,60 €/m² | D |

All edges

15b

| | Length | Width | Thickness | Part no. | Units/pack | α_w /NRC | Price | Del. Cat. |
|-----------|---------|--------|-----------|----------|------------|-----------------|------------------------------|-----------|
| Trapeze 2 | 1200 mm | 600 mm | 20 mm | 00068151 | 8 | 0,85 | 52,60 €/m² | D |
| Trapeze 4 | 1200 mm | 600 mm | 20 mm | 00070416 | 8 | 0,85 | 52,60 €/m² | D |
| Sinfonia | 1200 mm | 600 mm | 15 mm | 00075025 | 10 | 0,85 | 18,80 €/m² | D |

Trapeze LED – integrated lighting

| | Length | Width | Height | Rating | Performance | Ballast unit | Part no. | Units/pack | Price | Del. Cat. |
|---------------------------------|--|------------|--------|--------|-------------|--------------|----------|------------|---------------------|-----------|
| Trapeze LED* | 1200 mm | 400/200 mm | 140 mm | IP 20 | 72 W | LED drivers | 00068451 | 1 | 594,00 €/pce | D |
| Trapeze LED - emergency light* | 1200 mm | 400/200 mm | 140 mm | IP 20 | 72 W | LED drivers | 00074503 | 1 | 624,00 €/pce | D |
| Trapeze LED A | 1200 mm | 400/200 mm | 110 mm | IP 20 | 54 W | LED drivers | 00076406 | 1 | 410,00 €/pce | D |
| Trapeze LED A - emergency light | 1200 mm | 400/200 mm | 135 mm | IP 20 | 56 W | LED drivers | 00079772 | 1 | 560,00 €/pce | D |
| LINECT Unit* | Package for power supply for Trapeze LED | | | | | | 00070946 | 1 | 17,40 €/pce | D |
| LINECT Unit* | Package for power supply for Trapeze LED emergency light | | | | | | 00074686 | 1 | 17,40 €/pce | D |
| L profile* | 1190 mm, 10 x 8 mm, white RAL 9010 mat for Trapeze 1 using Trapeze LED | | | | | | 00069997 | 1 | 18,69 €/m | D |

Trapeze LED: Colour 4000 K, neutral white, includes bulbs, frameless, dimmable DALI | Trapeze LED A: Colour 4000 K, neutral white, includes bulbs, with visible frame, dimmable DALI


*Trapeze LED, Trapeze LED emergency light, LINECT Unit and L profile available only as long as stocks last



S 15b OWAline – suspension system

| | Product no. | Product/component description | Units/pack | Price |
|---|-------------|---|------------------------|------------------------------------|
| 1 | 12/30/2 | Adjustable hanger with double tension springs diameter: 4 mm, maximum load: 0.25 KN max. range of extension: 270 mm, a wire overhang of at least 15 mm must be provided | 100 pieces | 0,35 €/pce |
| 2 | 3500 | Main tee height: 38 mm, width: 14.3 mm, length: 3000 mm, cross tee slots at 600 mm centres, exterior: white recess: white recess: black | 20 pieces 20 pieces | 3,13 €/m 3,13 €/m |
| 3 | 3524* | Cross tee height: 38 mm, width: 14.3 mm, length: 1200 mm, exterior: white, without central cross tee slot recess: white recess: black | 60 pieces 60 pieces | 3,13 €/m 3,13 €/m |
| 4 | 51/32G | Wall angle height: 32 mm, width: 19 mm, length: 3000 mm, visible side: white | 30 pieces | 1,48 €/m |
| 4 | 1456 | Wall angle height: 32 mm, width: 15 mm, length: 3000 mm, upstand: 7.5 mm, visible side: white | 10 pieces | 1,22 €/m |
| | 37 | L profile for Trapeze 1 length: 1250 mm, trim onsite | 50 pieces | 1,52 €/m |

Can be combined with OWAlight, page 21. | * When using wall bracket no. 1456 and if additional suspension is not possible, we recommend using connecting profiles no. 3512/3514 with 625/1250 mm. These can be shortened onsite, notched and placed on wall profile no. 1456.







Out in the open

Square

The floating “Square” is constructed using 13 vertical baffles in two depths and six lengths suspended together in a single block. “Square” can be used to optimize acoustics in spaces or projects where thermal mass is an integral part of the building design or where the client requires a different visual effect. By combining several “Squares” or including the “Square” LED Linear light package a variety of different visual effects can be created.



Square



1 Square – baffle tile package

All edges

3

| Length | Height | Thickness | Units/pack | α_w /NRC | Part no. | Package price | Del. Cat. |
|---------|--------|-----------|------------|-----------------|----------|-----------------|-----------|
| 1200 mm | 150 mm | 30 mm | 7 | 0.65 | 00069106 | 533,60 € | D |
| 830 mm | 200 mm | 30 mm | 1 | | | | |
| 780 mm | 200 mm | 30 mm | 1 | | | | |
| 730 mm | 200 mm | 30 mm | 1 | | | | |
| 675 mm | 200 mm | 30 mm | 1 | | | | |
| 620 mm | 200 mm | 30 mm | 1 | | | | |
| 570 mm | 200 mm | 30 mm | 1 | | | | |

Package content: 7 pieces, length: 1200 mm, 1 piece each of the shorter length; total number of baffles per package: 13 pieces, Sinfonia tile surface

2 Square LED – light package Square – optional

| Length | Width | Height | Rating | Performance | Light colour | Ballast unit | Part no. | Units/pack | Price | Del. Cat. |
|---|-------|--------|--------|-------------|--------------|--------------|----------|------------|---------------------|-----------|
| 1160 mm | 26 mm | 24 mm | IP 20 | 12 W/m | 4000 K | LED drivers | 00080983 | 1 | 105,00 €/pce | D |
| 1160 mm | 26 mm | 24 mm | IP 20 | 14,4 W/m | RGB* | LED drivers | 00080984 | 1 | 159,00 €/pce | D |
| Transformer for LED light package neutral white (4000 K) + RGB (12 light packages max. per transformer) | | | | | | | 00076479 | 1 | 51,70 €/pce | D |
| RGB control unit | | | | | | | 00080981 | 1 | 69,95 €/pce | D |
| RGB repeater (for series connection only) | | | | | | | 00077301 | 1 | 69,95 €/pce | D |
| RGB remote control | | | | | | | 00080982 | 1 | 17,80 €/pce | D |

Package contains: 2 LED profiles, incl. the necessary cabling, 4 fastening clips.

* For series connection of RGB light packages, 1 RGB control unit is required for the 1st light package. The remaining light packages are controlled according to the number of light packages connected in series with RGB repeaters.

The LED profiles (2) are fastened to the square profiles of the Square design package (3) using the included fastening clips. Pass the ready-made cable through the square profile and connect it to the transformer. The transformer is placed on the body of the Square's hangar structure (3). Ask your electrical contractor to connect the Square to the power supply.

3 Square – construction package

| Product/component description | Units/pack | Part no. | Package price | Del. Cat. |
|---|------------|----------|-----------------|-----------|
| Square profile 25 x 25 x 2.0 mm, length: approx. 1220 mm, colour: white, fully assembled with connector bar | 2 pieces | 00069012 | 149,10 € | D |
| Connector bar 305 x 200 x 1.0 mm, white | 1 piece | | | |
| Spacer sleeve M6 x 25 mm, white, for direct installation | 4 pieces | | | |
| Fixing plug, Ø 11.6 mm, white, for square profile keyholes | 26 pieces | | | |
| Threaded sleeve M6 x 30 mm, for suspended installation | 4 pieces | | | |
| M6 x 15 mm, zinc galvanized, for suspended installation | 4 pieces | | | |

See brochure no. 1020 e Cloud and Square



Every Cloud has a silver lining


Cloud

Cloud baffle kits are available in two versions, Cloud 150 and Cloud 200. They each comprise a set number of vertical baffles suspended together to form a simple, round shape on the ceiling. When installed together they can be overlapped, allowing you to create a Cloud formation. For a more dramatic effect, add the Cloud LED package and create rays of sunshine or your very own weather front. When used in projects utilising thermal mass they can also be a major contributor to the acoustic comfort of the internal environment.




Cloud

Cloud 150



Cloud 200



All edges

3

1 Cloud 150 | Cloud 200 – baffle tile package

| Length | Height | Thickness | Units/pack | α_w /NRC | Part no. | Package price | Del. Cat. |
|---------|-----------------|-----------|------------|-----------------|--|-----------------|-----------|
| 1295 mm | 150 mm 200 mm | 30 mm | 1 | 0.65 | 00069107 (150 mm) 00069108 (200 mm) | 483,10 € | D |
| 1280 mm | 150 mm 200 mm | 30 mm | 2 | | | | |
| 1230 mm | 150 mm 200 mm | 30 mm | 2 | | | | |
| 1150 mm | 150 mm 200 mm | 30 mm | 2 | | | | |
| 1020 mm | 150 mm 200 mm | 30 mm | 2 | | | | |
| 825 mm | 150 mm 200 mm | 30 mm | 2 | | | | |
| 500 mm | 150 mm 200 mm | 30 mm | 2 | | | | |

Total number of baffles per package: 13 pieces, Sinfonia tile surface

2 Cloud LED – light package Cloud – optional

| Length | Width | Height | Rating | Performance | Light colour | Ballast unit | Part no. | Units/pack | Price | Del. Cat. |
|---|-------|--------|--------|-------------|--------------|--------------|----------|------------|---------------------|-----------|
| 1160 mm | 26 mm | 24 mm | IP 20 | 12 W/m | 4000 K | LED drivers | 00080983 | 1 | 105,00 €/pce | D |
| 1160 mm | 26 mm | 24 mm | IP 20 | 14,4 W/m | RGB* | LED drivers | 00080984 | 1 | 159,00 €/pce | D |
| Transformer for LED light package neutral white (4000 K) + RGB (12 light packages max. per transformer) | | | | | | | 00076479 | 1 | 51,70 €/pce | D |
| RGB control unit | | | | | | | 00080981 | 1 | 69,95 €/pce | D |
| RGB repeater (for series connection only) | | | | | | | 00077301 | 1 | 69,95 €/pce | D |
| RGB remote control | | | | | | | 00080982 | 1 | 17,80 €/pce | D |

Package contains: 2 LED profiles, incl. the necessary cabling, 4 fastening clips.

* For series connection of RGB light packages, 1 RGB control unit is required for the 1st light package. The remaining light packages are controlled according to the number of light packages connected in series with RGB repeaters.

The LED profiles (2) are fastened to the square profiles of the Cloud design package (3) using the included fastening clips. Pass the ready-made cable through the square profile and connect it to the transformer. The transformer is placed on the body of the Cloud's hangar structure (3). Ask your electrical contractor to connect the Cloud to the power supply.



3 Cloud – construction package

| Product/component description | Units/pack | Part no. | Package price | Del. Cat. |
|---|------------|----------|-----------------|-----------|
| Square profile 25 x 25 x 2.0 mm, length: approx. 1220 mm, colour: white, fully assembled with connector bar | 2 pieces | 00069012 | 149,10 € | D |
| Connector bar 305 x 200 x 1.0 mm, white | 1 piece | | | |
| Spacer sleeve M6 x 25 mm, white, for direct installation | 4 pieces | | | |
| Fixing plug, Ø 11.6 mm, white, for square profile keyholes | 26 pieces | | | |
| Threaded sleeve M6 x 30 mm, for suspended installation | 4 pieces | | | |
| M6 x 15 mm, zinc galvanized, for suspended installation | 4 pieces | | | |

See brochure no. 1020 e Cloud and Square



red dot design award
best of the best 2018



中国好设计
China Good Design
WINNER 2018



m iaw
DESIGN & INNOVATION AWARDS

b d 2018
i ausgesucht!



INNOVATIVE
INTERIOR
best of best



INNOVATIVE
ARCHITECTURE
best of best



GERMAN
DESIGN
AWARD
WINNER
2018

Classical styling – individual design freedom

Corpus

Stylistically uncompromising, functional with a plethora of design options – these are the main distinguishing features of the OWAconsult collection. Corpus has now succeeded in expanding this freedom even further. Ultrafine, white, fleece covered surfaces are interwoven seamlessly, thereby modelling the formal content and cohesion of the individual elements. That way, Corpus blends avant-garde freedom with classical styling, giving it its own, unmistakable impression. In addition there are the outstanding absorption properties of the individual elements, which ensure exemplary room acoustics, especially when they are combined.

Corpus

Corpus

| | Length | Width | Height | Thickness | Visible side | $\alpha_{\text{vis}}/\text{NRC}$ | Part no. | Price/piece | Del. Cat. |
|-------------|---------|---------|--------|-----------|-----------------------|----------------------------------|----------|-----------------|-----------|
| Corpus S1 | 520 mm | 520 mm | 150 mm | 40 mm | fleece covered, white | 1.00/1.00 | 00074869 | 186,50 € | D |
| Corpus S2 | 520 mm | 520 mm | 300 mm | 40 mm | fleece covered, white | 1.00/1.00 | 00074870 | 230,00 € | D |
| Corpus M1 | 1120 mm | 520 mm | 150 mm | 40 mm | fleece covered, white | 1.00/1.00 | 00074871 | 230,00 € | D |
| Corpus M2 | 1120 mm | 520 mm | 300 mm | 40 mm | fleece covered, white | 1.00/1.00 | 00074872 | 254,10 € | D |
| Corpus L1 | 1120 mm | 1120 mm | 150 mm | 40 mm | fleece covered, white | 1.00/1.00 | 00074873 | 254,10 € | D |
| Corpus L2 | 1120 mm | 1120 mm | 300 mm | 40 mm | fleece covered, white | 1.00/1.00 | 00074874 | 305,00 € | D |
| Corpus XL1 | 1120 mm | 1720 mm | 150 mm | 40 mm | fleece covered, white | 1.00/1.00 | 00074875 | 371,40 € | D |
| Corpus XL2 | 1120 mm | 1720 mm | 300 mm | 40 mm | fleece covered, white | 1.00/1.00 | 00074876 | 422,30 € | D |
| Corpus XXL1 | 1120 mm | 2320 mm | 150 mm | 40 mm | fleece covered, white | 1.00/1.00 | 00074877 | 465,80 € | D |
| Corpus XXL2 | 1120 mm | 2320 mm | 300 mm | 40 mm | fleece covered, white | 1.00/1.00 | 00074878 | 514,00 € | D |

Packing unit for all canopies: 1 piece per parcel

LED light - complete packages


| | Length | Width | Height | Light colour | Rating | Ballast unit | Part no. | Price | Del. Cat. |
|-------------------|--|--------|--------|---------------|--------|--------------|----------|-----------------|-----------|
| Corpus Q1* | 520 mm | 520 mm | 150 mm | 4000 K | IP 20 | LED drivers | 00079698 | | D |
| LED panel | 520 mm | 520 mm | 25 mm | 4000 K | | LED drivers | 00079615 | 397,00 € | D |
| Q1 diffuser | 520 mm | 520 mm | 150 mm | | | | 00079259 | 173,00 € | D |
| Suspension set | Set consists of wire rope, length 1500 mm, rope adjuster with safety hook, ceiling fastener M6 | | | | | | 00080477 | 34,00 € | D |
| Corpus Q2* | 520 mm | 520 mm | 300 mm | 4000 K | IP 20 | LED drivers | 00079699 | | D |
| LED panel | 520 mm | 520 mm | 25 mm | 4000 K | | LED drivers | 00079615 | 397,00 € | D |
| Q2 diffuser | 520 mm | 520 mm | 300 mm | | | | 00079260 | 193,00 € | D |
| Suspension set | Set consists of wire rope, length 1500 mm, rope adjuster with safety hook, ceiling fastener M6 | | | | | | 00080477 | 34,00 € | D |
| Corpus Q1* | 520 mm | 520 mm | 150 mm | tunable white | IP 20 | LED drivers | 00079700 | | D |
| LED panel | 520 mm | 520 mm | 25 mm | tunable white | | LED drivers | 00079258 | 655,00 € | D |
| Q1 diffuser | 520 mm | 520 mm | 150 mm | | | | 00079259 | 173,00 € | D |
| Suspension set | Set consists of wire rope, length 1500 mm, rope adjuster with safety hook, ceiling fastener M6 | | | | | | 00080477 | 34,00 € | D |
| Corpus Q2* | 520 mm | 520 mm | 300 mm | tunable white | IP 20 | LED drivers | 00079701 | | D |
| LED panel | 520 mm | 520 mm | 25 mm | tunable white | | LED drivers | 00079258 | 655,00 € | D |
| Q2 diffuser | 520 mm | 520 mm | 300 mm | | | | 00079260 | 193,00 € | D |
| Suspension set | Set consists of wire rope, length 1500 mm, rope adjuster with safety hook, ceiling fastener M6 | | | | | | 00080477 | 34,00 € | D |

* Consisting of LED panel, diffuser and suspension set. LED panel, diffusers and suspension sets do not have to be ordered separately, but are included the respective part number of the Corpus package.

Fitting set for ceiling installation

| Component description | Part no. |
|-----------------------|----------|
| Corpus S1 | |
| Corpus S2 | |
| Corpus M1 | 00071588 |
| Corpus M2 | |
| Corpus L1 | |
| Corpus L2 | |
| Corpus XL1 | 00071588 |
| Corpus XL2 | |
| Corpus XXL1 | 00071588 |
| Corpus XXL2 | |

Please also order the respective fitting sets for each canopy. Price including fitting sets. | See brochure no. 1019 e Corpus






The art of light

OWAlight

Integrated into special S 15b OWAline cross tees, OWAlights are installed as part of the standard ceiling grid and can appear or disappear at the flick of a switch. Available in 1200 mm or 600 mm lengths they are invisible when turned off, but turned on, they can be used to illuminate, emphasise and create a totally different ambience for the room.

OWAlight



OWAlight – LED cross tees for S 15b OWAline


| | Product/component description | Part no. | Units/pack | Price | Del. Cat. |
|-----------|---|----------|------------|---------------------|-----------|
| 6 | OWAlight 1 LED cross tee, Cross tee, length: 600 mm, height: 38 mm, width: 14.3 mm, white exterior, interior: LED light band over a length of 600 mm, rails delivered ready to plug in, cable length 2000 mm | 00072860 | 1 | 72,00 €/pce | D |
| 4 | OWAlight 2 LED cross tee, Cross tee, length: 1200 mm, height: 38 mm, width: 14.3 mm, white exterior, with central cross tee slot, interior: LED light band over a length of 600 mm, rails delivered ready to plug in, cable length 2000 mm | 00072861 | 1 | 72,00 €/pce | D |
| 4 | OWAlight 3 LED cross tee, Cross tee, length 1200 mm, height: 38 mm, width: 14.3 mm, white exterior, with central cross tee slot, interior: LED light band over a length of 1200 mm, rails delivered ready to plug in, cable length 2000 mm | 00072862 | 1 | 137,00 €/pce | D |
| 4a | OWAlight 3a LED cross tee, Cross tee, length 1200 mm, height: 38 mm, width: 14.3 mm, white exterior, without central cross tee slot, interior: LED light band over a length of 1200 mm, rails delivered ready to plug in, cable length 2000 mm | 00072863 | 1 | 137,00 €/pce | D |
| | Transformer 100 W, DALI dimmable | 00076338 | 1 | 69,00 €/pce | D |
| | Transformer 240 W, DALI dimmable | 00076339 | 1 | 98,00 €/pce | D |
| | Multiple plug 6-fold | 00076182 | 1 | 17,00 €/pce | D |
| | Extension cable with plug and socket, length: 2000 mm | 00070521 | 1 | 8,00 €/pce | D |

Easily connected to the transformer they form part of the suspension system S15b OWAline and can be used to form linear, parallel, rectangular or square patterns by replacing standard cross tee No's 3514, 3524 and /or 3512. Based on anticipated room usage, dimensions, décor, building orientation and available natural daylight the OWAconsult team can, where required, provide lighting calculations and layout plans. Colour 4000 K, neutral white. See brochure no. 1011 e OWAlight.

N.B. OWAlight cross tees are suitable for use with components 3500, 3512, 3514 and 3524 and should only be used with the system components shown below. For LED cross tees the suspension system below must be ordered. The suitability of fitting OWAlights into an existing S 15b CONSULT system should be confirmed with the OWAconsult team prior to purchase or installation. See brochure no. 1022 e S 15b OWAline.



S 15b OWAline – suspension system



| | Product no. | Product/component description | Units/pack | Price |
|----------|-------------|---|------------|-------------------|
| 1 | 12/30/2 | Adjustable hanger with double tension springs, diameter: 4 mm, maximum load: 0.25 KN, max. range of extension: 270 mm, a wire overhang of at least 15 mm must be provided | 100 pieces | 0,35 €/pce |
| 2 | 3500 | Main tee, height: 38 mm, width: 14.3 mm, length: 3000 mm, cross tee slots at 600 mm centres exterior: white, recess: white | 20 pieces | 3,13 €/m |
| 2 | 3501 | Main tee, height: 38 mm, width: 14.3 mm, length: 3600 mm, cross tee slots at 1200 mm centres exterior: white, recess: white | 20 pieces | 3,13 €/m |
| 3 | 3512 | Cross tee, height: 38 mm, width: 14.3 mm, length: 600 mm, exterior: white, recess: white | 60 pieces | 3,13 €/m |
| 3 | 3514 | Cross tee, height: 38 mm, width: 14.3 mm, length: 1200 mm exterior: white, recess: white, with central cross tee slot | 60 pieces | 3,13 €/m |
| 3 | 3524 | Cross tee, height: 38 mm, width: 14.3 mm, length: 1200 mm exterior: white, recess: white, without central cross tee slot | 60 pieces | 3,13 €/m |
| 5 | 51/32G | Wall angle, height: 32 mm, width: 19 mm, length: 3000 mm, visible side: white | 30 pieces | 1,48 €/m |
| 5 | 1456 | Wall angle, height: 32 mm, width: 15 mm, length: 3000 mm, upstand: 7.5 mm, visible side: white | 10 pieces | 1,22 €/m |

IC0 2
NIC 0
AWA 1
RDS 8

INNOVATIVE
ARCHITECTURE

best of best



Exciting innovation

OWAconsult collection

In addition to our collaboration with Hadi Teherani, OWAconsult has a continuous programme of research and development headed up by our own team of architects, acousticians, designers and technical personnel. Our continuing mission is to develop exciting products that combine product performance, aesthetics, practical application, environmental awareness and reflect the requirements of tomorrow's ceilings today.

IC 0 2
NIC 0
AWA 1
RDS 8

INNOVATIVE
ARCHITECTURE

best of best


Design meets environment

Unique

Unique is an exceptional ceiling panel combining three fundamental product characteristics: sound, fire and environmental protection.

Unique is a wet-felt mineral tile with an unparalleled appearance.

Good to know: Unique is 100% recyclable. The stone grey surface in combination with the Harmony pattern and a concealed ceiling grid will convince you.



Unique



Unique

Unique – mineral tiles

All edges



| Length | Width | Thickness | Bevel | Part no. | Units/pack | α_w /NRC | Price | Del. Cat. |
|---------|--------|-----------|-------|----------|------------|-----------------|------------------------------|-----------|
| 625 mm | 625 mm | 20 mm | white | 00073006 | 8 | 0.65/0.70 | 28,60 €/m² | D |
| 625 mm | 625 mm | 20 mm | raw | 00073004 | 8 | 0.65/0.70 | 28,60 €/m² | D |
| 1250 mm | 625 mm | 20 mm | white | 00073005 | 8 | 0.65/0.70 | 28,60 €/m² | D |
| 1250 mm | 625 mm | 20 mm | raw | 00072983 | 8 | 0.65/0.70 | 28,60 €/m² | D |

You can combine tiles with white and raw bevel.

Lifetime LED – integrated lighting

| Length | Width | Height | Rating | Performance | Ballast unit | Part no. | Units/pack | Price | Del. Cat. |
|--------|--------|--------|--------|-------------|--------------|----------|------------|---------------------|-----------|
| 625 mm | 625 mm | 105 mm | IP 20 | 41 W | LED drivers | 00074741 | 1 | 246,50 €/pce | A |

Colour 4000 K, dimmable DALI incl. mounting kit

Luminosonic LED – integrated lighting


| Length | Width | Height | Rating | Performance | Ballast unit | Part no. | Units/pack | Price | Del. Cat. |
|--------|--------|--------|--------|-------------|--------------|----------|------------|---------------------|-----------|
| 625 mm | 625 mm | 15 mm | IP 20 | 40 W | LED drivers | 00076669 | 1 | 159,00 €/pce | A |

Colour 4000 K, dimmable DALI, see page 67



S 19 Teccor – suspension system

| | Product no. | Product/component description | Units/pack | Price |
|---|-------------|---|------------|-------------------|
| 1 | 12/30/2 | Adjustable hanger with double tension springs diameter: 4 mm, maximum load: 0.25 KN max. range of extension: 270 mm; a wire overhang of at least 15 mm must be provided | 100 pieces | 0,35 €/pce |
| 2 | 45 | Main tee, height: 38 mm, width: 24 mm, visible side: white length: 3750 mm | 25 pieces | 1,98 €/m |
| 3 | 46 | Cross tee, height: 32 mm, width: 24 mm, visible side: white length: 625 mm | 75 pieces | 1,98 €/m |
| 4 | 47 | Cross tee, height: 32 mm, width: 24 mm, visible side: white length: 1250 mm | 50 pieces | 1,98 €/m |
| 5 | 50/19 | Shadow wall angle, height: 38 mm, total width: 30 mm, visible width: 15 mm, length: 3050 mm, visible side: white | 15 pieces | 2,68 €/m |
| 6 | 819 | Hold down clip for no. 45, 46, 47; corrosion-resistant | 500 pieces | 0,24 €/pce |



IC 0 2
NIC 0
AWA 1
RDS 8

INNOVATIVE
ARCHITECTURE

best of best

When the ceiling becomes unique

Unique

Usually there is nothing unique about industrially manufactured mineral ceiling tiles. At OWA we think differently. With the introduction of Unique the company offers a 100 % recyclable wet-felt mineral tile with a very special individual appearance. The stone-grey surface appears lighter or darker from tile to tile. The overall image of this elegant ceiling thereby enhances any room.



Unique



Unique

Unique – mineral tiles

All edges

1

| Length | Width | Thickness | Bevel | Part no. | Units/pack | α_w /NRC | Price | Del. Cat. |
|---------|----------|-----------|-------|----------|------------|-----------------|------------------------------|-----------|
| 1250 mm | 312,5 mm | 15 mm | white | 00072978 | 10 | 0.65 / 0.70 | 23,40 €/m² | D |
| 1250 mm | 312,5 mm | 15 mm | raw | 00073002 | 10 | 0.65 / 0.70 | 23,40 €/m² | D |


You can combine tiles with white and raw bevel.



S 1 – suspension system direct fixing

| | Product no. | Product/component description | Units/pack | Price |
|----------|-------------|---|------------|-------------------|
| 1 | 20 | Z profile height: 21 mm, width: 19 mm, length: 3000 mm zinc galvanized | 25 pieces | 1,46 €/m |
| 2 | 25 | Connector, height: 20 mm, width: 11 mm, length: 150 mm zinc galvanized | 100 pieces | 0,40 €/pce |
| 3 | 23 | T profile height: 12.5 mm, width: 10 mm, length: 307 mm zinc galvanized | 250 pieces | 0,46 €/pce |
| 4 | 24* | L profile height: 14 mm, width: 10 mm, length: 307 mm zinc galvanized | 200 pieces | 0,49 €/pce |
| 5 | 52 | Wall spring clip width: 16 mm, length: 110 mm, bronzed | 100 pieces | 0,34 €/pce |
| 6 | 62 | Direct fix clip size: 50 x 55 mm | 100 pieces | 0,34 €/pce |
| | 91 | Wood screw 5/25 mm, zinc galvanized | 500 pieces | 0,17 €/pce |
| 7 | 50G | Wall angle height: 24 mm, width: 19 mm, length: 3050 mm, visible side: white | 40 pieces | 1,42 €/m |

* Please calculate 4 L profiles no. 24 for every room (for installation of the last tile).





When the ceiling becomes unique

Unique

With Unique, we are offering a completely trendy product that is based on sustainability. Interior designers now have the opportunity to give each room a completely individual touch. The subtle and unique colour shading of each individual tile is not just everything that Unique has to offer by some way: a surrounding white bevel on the edge of the tiles emphasises the tile format and allows a completely new look for the ceiling surface.



Unique



Unique

Unique – mineral tiles




| Length | Width | Thickness | Bevel | Part no. | Units/pack | α_w /NRC | Price | Del. Cat. |
|---------|----------|-----------|-------|----------|------------|-----------------|------------------------------|-----------|
| 1250 mm | 312,5 mm | 20 mm | white | 00072980 | 8 | 0.65 / 0.70 | 30,70 €/m² | D |
| 1250 mm | 312,5 mm | 20 mm | raw | 00073003 | 8 | 0.65 / 0.70 | 30,70 €/m² | D |

You can combine tiles with white and raw bevel.

Lifetime LED – integrated lighting

| Length | Width | Height | Rating | Performance | Ballast unit | Part no. | Units/pack | Price | Del. Cat. |
|---------|----------|--------|--------|-------------|--------------|----------|------------|-----------------|-----------|
| 1250 mm | 312,5 mm | 105 mm | IP 20 | 35 W | LED drivers | 00076277 | 1 | 324,00 € | D |

Colour 4000 K, dimmable DALI incl. mounting kit (the light can only be used for suspended ceilings)



S 9a – suspension system

| Product no. | Product/component description | Units/pack | Price |
|------------------|---|------------|-------------------|
| 1 12 / 10 | Adjustable hanger length: 110 mm, width: 20 mm, zinc galvanized maximum load: 0.15 kN | 100 pieces | 0,39 €/pce |
| 2 70 | Primary tee profile height: 40 mm, width: 40 mm, thickness: 0.75 mm, length: 5000 mm zinc galvanized | 8 pieces | 3,36 €/m |
| 3 77 | Connector height: 4 mm, width: 12.5 mm, length: 100 mm, zinc galvanized | 100 pieces | 0,29 €/pce |
| 4 60 | Spring clip length: 180 mm, zinc galvanized | 500 pieces | 0,28 €/pce |
| 5 62 | Direct fix clip size: 50 x 55 mm | 100 pieces | 0,34 €/pce |
| 6 63 | Shadow Z profile height: 55 mm, flange width: 19 mm, length: 3000 mm, 4000 mm, zinc galvanized special lengths on request | 10 pieces | 3,19 €/m |
| 7 64 | Connector height: 54 mm, width: 20 mm, length: 150 mm, zinc galvanized | 100 pieces | 0,87 €/pce |
| 8 24 | L profile height: 14 mm, width: 10 mm, length: 307 mm, zinc galvanized | 200 pieces | 0,49 €/pce |
| 9 91 | Wood screw 5 / 25 mm, zinc galvanized | 500 pieces | 0,17 €/pce |
| 10 50G | Wall angle height: 24 mm, width: 19 mm, length: 3050 mm, visible side: white | 40 pieces | 1,42 €/m |




Accept no limits!

OWAplan

Acoustics, fire protection and design combined in one ceiling system: S 7 OWAplan. Whether in restaurants, foyers, museums or galleries, schools, shopping arcades, hotels or private homes, OWAplan looks great everywhere and provides pleasant room acoustics. Fine to very fine plaster structures lend the ceiling a clear elegance. It provides, of course, a fire classification (EN 13501-1) of "A2-s1,d0" and can be used in corridors and public buildings.

OWAplan



Plaster coating
OWAplan S
or OWAplan XS

Acoustic fleece

Plaster base tile

Further important information and details for the installation of this ceiling system contain the OWAplan processing guideline pamphlet no. 1031 and the publication no. 1021 OWAplan, which you at OWAconsult can request.

OWAplan⁹⁰ – mineral tiles

All edges **3**

| Length | Width | Part no. | Units/pack | α_w /NRC | Price | Del. Cat. |
|---------|---------|----------|------------|-----------------|------------------------------|-----------|
| 2400 mm | 1200 mm | 00077530 | 40* | 0.90 / 0.90 | 49,50 €/m² | B |

* On one pallet

OWAplan⁷⁰ – mineral tiles

All edges **3**

| Length | Width | Part no. | Units/pack | α_w /NRC | Price | Del. Cat. |
|---------|---------|----------|------------|-----------------|------------------------------|-----------|
| 2400 mm | 1200 mm | 00077992 | 40* | 0.65 / 0.70 | 39,50 €/m² | B |

* On one pallet

OWAplan – plastering systems


| Plastering system | Product no. | Product | Part no. | Units/pack | Content | Price | Del. Cat. |
|-------------------|-------------|--|----------|------------|---------|------------------------|-----------|
| OWAplan S | 2016 | OWAplan Tape | 00076761 | Roll | 90 m | 16,00 €/roll | B |
| | 2015 | OWAplan Filler | 00076760 | Bucket | 7,5 kg | 108,00 €/bucket | B |
| | 2017 | OWAplan plaster S, white, wet product | 00076762 | Bucket | 15 kg | 151,00 €/bucket | B |
| OWAplan XS | 2016 | OWAplan Tape | 00076761 | Roll | 90 m | 16,00 €/roll | B |
| | 2015 | OWAplan Filler | 00076760 | Bucket | 7,5 kg | 108,00 €/bucket | B |
| | 2018 | OWAplan plaster XS, white, dry product | 00076763 | Bucket | 7,5 kg | 287,00 €/bucket | B |



S 7 OWAplan – suspension system

| | Product no. | Product/component description | Units/pack | Price |
|----------|-------------|---|--------------------|------------------------|
| 1 | 2001*1 | Lower nonius hanger for primary CD profile 60 x 27 mm, length: 130 mm, maximum load: 0.40 kN, zinc galvanized | 100 pieces | 0,75 €/pce |
| | 76 | Safety pin for Nonius hanger, length: approx. 70 mm, thickness: 3 mm, zinc galvanized | 100 pieces | 0,12 €/pce |
| 2 | 2003 | Primary CD profile 60 x 27 mm, length: 4000 mm, support grid spacing 1000 mm | 12 pieces | 2,47 €/m |
| 3 | 2003 | Primary CD profile 60 x 27 mm, length: 4000 mm, support grid spacing 400 mm | 12 pieces | 2,47 €/m |
| 4 | 2004 | Cross connector, height: 40 mm, width: 60 mm, depth: 45 mm, zinc galvanized | 100 pieces | 0,46 €/pce |
| 5 | 2005 | CD profile connector, height: 25 mm, width: 60 mm, length: 80 mm, zinc galvanized | 100 pieces | 0,30 €/pce |
| | 2012 | U-shaped hanger for transversal installation/as direct hanger suitable for no. 2003 | 100 pieces | 0,39 €/pce |
| 6 | 51 / 22 | Wall angle, height: 50 mm, width: 22 mm, thickness: 0.7 mm, length: 3000 mm, visible side: white | 10 pieces | 6,46 €/m |
| | 51 / 22-O | Curved wall profile, column half-ring | *2 | *2 |
| 7 | 2024 | Tapping screw for no. 51 / 22 | 100 pieces/package | 14,00 €/package |
| 8 | 2019 | Plate screw | 500 pieces/package | 40,00 €/package |
| | 8031 / 9 | Comfort access trap for OWAplan ceilings 340 x 340 mm (external dimension), without OWAplan-plate Attention: additional suspension required (see OWAplan Comfort access trap installation guide) | bulk-packed | 141,00 €/pce |
| | 8031 / 10 | Comfort access trap for OWAplan ceilings 540 x 540 mm (external dimension), without OWAplan-plate Attention: additional suspension required (see OWAplan Comfort access trap installation guide) | bulk-packed | 151,30 €/pce |
| | 8069 / 6 | Pattress for OWAplan consisting of frame components (2 pieces), length: 340 mm | bulk-packed | 37,79 €/pce |
| | 4437 | Fire resistant tape 12 x 1.5 mm (where fire resistance is required) | 25 m roll | 3,63 €/m |

Material specifications: Any stated performance levels are based on the installation of a complete ceiling kit as shown here or in the relevant test report. Substitution of any component or failure to install the ceiling in accordance with our recommendations will invalidate any warranty and may adversely affect any anticipated performance levels. | *1 Extension no. 16/... see accessories list page 74 | *2 See brochure no. 9001 e price list OWAlifetime collection





Authentic and progressive


RAW

The new product line RAW features three different surface finishes and is a new creation of the OWA Design Team. One of the distinguishing features they share is an original appearance combined with high acoustic performance. Special finishing processes maintain the natural appearance of the mineral fibres and allow rooms to be given a completely new, unique industrial design.


RAW



RAW structure



RAW grey



RAW clay

RAW structure

All edges **3**

| Length | Width | Thickness | Part no. | Units/pack | α_w /NRC | Price | Del. Cat. |
|---------|---------|-----------|----------|------------|-----------------|-------------------|-----------|
| 2400 mm | 1200 mm | 20 mm | 00079720 | 40* | 0.70 / 0.70 | 29,80 €/m² | B |

* On one pallet

RAW grey

All edges **3**

| Length | Width | Thickness | Part no. | Units/pack | α_w /NRC | Price | Del. Cat. |
|---------|---------|-----------|----------|------------|-----------------|-------------------|-----------|
| 2400 mm | 1200 mm | 20 mm | 00079726 | 40* | 0.90 / 0.90 | 37,25 €/m² | B |

* On one pallet

RAW clay

All edges **3**

| Length | Width | Thickness | Part no. | Units/pack | α_w /NRC | Price | Del. Cat. |
|---------|---------|-----------|----------|------------|-----------------|-------------------|-----------|
| 2400 mm | 1200 mm | 20 mm | 00079721 | 40* | 0.90 / 0.90 | 37,25 €/m² | B |

* On one pallet




S 7 RAW – suspension system

| | Product no. | Product/component description | Units/pack | Price |
|----------|-------------|---|--------------------|------------------------|
| 1 | 2001*1 | Lower nonius hanger for primary CD profile 60 x 27 mm, length: 130 mm, maximum load: 0.40 kN, zinc galvanized | 100 pieces | 0,75 €/pce |
| | 76 | Safety pin for Nonius hanger, length: approx. 70 mm, thickness: 3 mm, zinc galvanized | 100 pieces | 0,12 €/pce |
| 2 | 2003 | Primary CD profile 60 x 27 mm, length: 4000 mm, support grid spacing 1000 mm | 12 pieces | 2,47 €/m |
| 3 | 2003 | Primary CD profile 60 x 27 mm, length: 4000 mm, support grid spacing 400 mm | 12 pieces | 2,47 €/m |
| 4 | 2004 | Cross connector, height: 40 mm, width: 60 mm, depth: 45 mm, zinc galvanized | 100 pieces | 0,46 €/pce |
| 5 | 2005 | CD profile connector, height: 25 mm, width: 60 mm, length: 80 mm, zinc galvanized | 100 pieces | 0,30 €/pce |
| | 2012 | U-shaped hanger for transversal installation/as direct hanger suitable for no. 2003 | 100 pieces | 0,39 €/pce |
| 6 | 51 / 22 | Wall angle, height: 50 mm, width: 22 mm, thickness: 0.7 mm, length: 3000 mm, visible side: white | 10 pieces | 6,46 €/m |
| | 51 / 22-O | Curved wall profile, column half-ring | *2 | *2 |
| 7 | 2024 | Tapping screw for no. 51 / 22 | 100 pieces/package | 14,00 €/package |
| 8 | 2019 | Plate screw | 500 pieces/package | 40,00 €/package |
| | 8031 / 9 | Comfort access trap for RAW ceilings 340 x 340 mm (external dimension), without RAW-plate Attention: additional suspension required (see RAW installation guide) | bulk-packed | 141,00 €/pce |
| | 8031 / 10 | Comfort access trap for RAW ceilings 540 x 540 mm (external dimension), without RAW-plate Attention: additional suspension required (see RAW installation guide) | bulk-packed | 151,30 €/pce |
| | 8069 / 6 | Pattress for RAW consisting of frame components (2 pieces), length: 340 mm | bulk-packed | 37,79 €/pce |
| | 4437 | Fire resistant tape 12 x 1.5 mm (where fire resistance is required) | 25 m roll | 3,63 €/m |
| | 99725*3 | OWA repair set for RAW structure | 1 pieces | 6,49 €/pce |

Material specifications: Any stated performance levels are based on the installation of a complete ceiling kit as shown here or in the relevant test report. Substitution of any component or failure to install the ceiling in accordance with our recommendations will invalidate any warranty and may adversely affect any anticipated performance levels. | *1 Extension no. 16/... see accessories list page 74 | *2 See brochure no. 9001 e price list OWAlifetime collection |

*3 Available in EU only



IC 0 2
NIC 0
AWA 1
RDS 8

INNOVATIVE
ARCHITECTURE

best of best

Acoustics and natural designs


Bamboo

Using the natural design of Bamboo, we have created a ceiling with soft, wood tones and high levels of sound absorption that together provide a soothing and elegant environment.

Bamboo



Bamboo
natural colour
Constellation



Bamboo dark
regular perforated

Bamboo natural colour – mineral tiles

All edges



| | Length | Width | Thickness | Part no. | Units/pack | α_w /NRC | Price | Del. Cat. |
|---------------|--------|--------|-----------|----------|------------|-----------------|------------------------------|-----------|
| Constellation | 600 mm | 600 mm | 20 mm | 00062780 | 8 | 0.70 / 0.65 | 45,90 €/m² | D |
| Constellation | 625 mm | 625 mm | 20 mm | 00062776 | 8 | 0.70 / 0.65 | 45,90 €/m² | D |

Bamboo dark – mineral tiles

All edges



| | Length | Width | Thickness | Part no. | Units/pack | α_w /NRC | Price | Del. Cat. |
|--------------------|--------|--------|-----------|----------|------------|-----------------|------------------------------|-----------|
| Regular perforated | 600 mm | 600 mm | 20 mm | 00062782 | 8 | 0.55 / 0.60 | 49,40 €/m² | D |
| Regular perforated | 625 mm | 625 mm | 20 mm | 00062778 | 8 | 0.55 / 0.60 | 49,40 €/m² | D |

Luminosonic LED – integrated lighting


| Length | Width | Height | Rating | Performance | Ballast unit | Part no. | Units/pack | Price | Del. Cat. |
|--------|--------|--------|--------|-------------|--------------|----------|------------|---------------------|-----------|
| 625 mm | 625 mm | 15 mm | IP 20 | 40 W | LED drivers | 00076669 | 1 | 159,00 €/pce | A |

Colour 4000 K, dimmable DALI, see page 67



S 19 Teccor – suspension system

| | Product no. | Product/component description | Units/pack | Price |
|---|-------------|---|------------------------|------------------------------------|
| 1 | 12/30/2 | Adjustable hanger with double tension springs diameter: 4 mm, maximum load: 0.25 KN max. range of extension: 270 mm; a wire overhang of at least 15 mm must be provided | 100 pieces | 0,35 €/pce |
| 2 | 45 | Main tee, height: 38 mm, width: 24 mm length: 3700 mm, visible side: white length: 3750 mm, visible side: white | 25 pieces 25 pieces | 1,98 €/m 1,98 €/m |
| 3 | 46 | Cross tee, height: 32 mm, width: 24 mm length: 600 mm, visible side: white length: 625 mm, visible side: white | 75 pieces 75 pieces | 1,98 €/m 1,98 €/m |
| 4 | 47 | Cross tee, height: 32 mm, width: 24 mm length: 1200 mm, visible side: white length: 1250 mm, visible side: white | 50 pieces 50 pieces | 1,98 €/m 1,98 €/m |
| 5 | 50/19 | Shadow wall angle, height: 38 mm, total width: 30 mm, visible width: 15 mm, length: 3050 mm visible side: Bamboo natural colour visible side: Bamboo dark | 15 pieces 15 pieces | 5,21 €/m 5,21 €/m |
| 6 | 819 | Hold down clip for no. 45, 46, 47; corrosion-resistant | 500 pieces | 0,24 €/pce |





Natural influence on interior concepts

Bamboo


Bamboo is a versatile Asian plant that offers many important performance characteristics as well as being used to provide attractive, decorative products. OWA have taken that natural example and replicated the elegant warm finish and applied it to their own high performance ceiling tiles, providing a tile that looks great on its own, can be used to complement other timber elements in a room and also provide high levels of sound control and fire resistance.

Bamboo



Bamboo natural colour
Constellation

Also available in Plain



Bamboo dark
regular perforated

Also available in Plain

Bamboo natural colour – mineral tiles

All edges **3**

| | Length | Width | Thickness | Part no. | Units/pack | α_w /NRC | Price | Del. Cat. |
|---------------|--------|--------|-----------|----------|------------|-----------------|------------------------------|-----------|
| Constellation | 600 mm | 600 mm | 15 mm | 00062556 | 12 | 0.70/0.65 | 40,80 €/m² | D |
| Constellation | 625 mm | 625 mm | 15 mm | 00062552 | 12 | 0.70/0.65 | 40,80 €/m² | D |
| Plain | 600 mm | 600 mm | 15 mm | 00062555 | 12 | 0.15/0.15 | 42,30 €/m² | D |
| Plain | 625 mm | 625 mm | 15 mm | 00062551 | 12 | 0.15/0.15 | 42,30 €/m² | D |

Bamboo dark – mineral tiles

All edges **3**

| | Length | Width | Thickness | Part no. | Units/pack | α_w /NRC | Price | Del. Cat. |
|--------------------|--------|--------|-----------|----------|------------|-----------------|------------------------------|-----------|
| Regular perforated | 600 mm | 600 mm | 15 mm | 00062560 | 12 | 0.55/0.60 | 47,80 €/m² | D |
| Regular perforated | 625 mm | 625 mm | 15 mm | 00062554 | 12 | 0.55/0.60 | 47,80 €/m² | D |
| Plain | 600 mm | 600 mm | 15 mm | 00062558 | 12 | 0.15/0.15 | 42,30 €/m² | D |
| Plain | 625 mm | 625 mm | 15 mm | 00062553 | 12 | 0.15/0.15 | 42,30 €/m² | D |

Luminosonic LED – integrated lighting

| Length | Width | Height | Rating | Performance | Ballast unit | Part no. | Units/pack | Price | Del. Cat. |
|--------|--------|--------|--------|-------------|--------------|----------|------------|---------------------|-----------|
| 625 mm | 625 mm | 15 mm | IP 20 | 40 W | LED drivers | 00076669 | 1 | 159,00 €/pce | A |


Colour 4000 K, dimmable DALI, see page 67



S 3 – suspension system

| | Product no. | Product/component description | Units/pack | Price |
|----------|-------------|--|--|--|
| 1 | 12/30/2 | Adjustable hanger with double tension springs diameter: 4 mm, maximum load: 0.25 KN max. range of extension: 270 mm; a wire overhang of at least 15 mm must be provided | 100 pieces | 0,35 €/pce |
| 2 | 45 | Main tee, height: 38 mm, width: 24 mm length: 3700 mm, visible side: Bamboo natural colour length: 3700 mm, visible side: Bamboo dark length: 3750 mm, visible side: Bamboo natural colour length: 3750 mm, visible side: Bamboo dark | 25 pieces 25 pieces 25 pieces 25 pieces | 3,65 €/m 3,65 €/m 3,65 €/m 3,65 €/m |
| 3 | 46 | Cross tee, height: 32 mm, width: 24 mm length: 600 mm, visible side: Bamboo natural colour length: 600 mm, visible side: Bamboo dark length: 625 mm, visible side: Bamboo natural colour length: 625 mm, visible side: Bamboo dark | 75 pieces 75 pieces 75 pieces 75 pieces | 3,65 €/m 3,65 €/m 3,65 €/m 3,65 €/m |
| 4 | 47 | Cross tee, height: 32 mm, width: 24 mm length: 1200 mm, visible side: Bamboo natural colour length: 1200 mm, visible side: Bamboo dark length: 1250 mm, visible side: Bamboo natural colour length: 1250 mm, visible side: Bamboo dark | 50 pieces 50 pieces 50 pieces 50 pieces | 3,65 €/m 3,65 €/m 3,65 €/m 3,65 €/m |
| 5 | 50G | Wall angle height: 24 mm, width: 19 mm, length: 3050 mm visible side: Bamboo natural colour visible side: Bamboo dark | 40 pieces 40 pieces | 3,54 €/m 3,54 €/m |

No. 45, no. 46, no. 47 and no. 51/24G upon request, also available in black.



ICD 2
NIC 0
AWA 1
RDS 8

INNOVATIVE
ARCHITECTURE

best of best

Cool design – Great acoustics

Opus

Concrete has its unique place in interior design as well as construction. Its biggest drawback as an interior finish is its lack of sound absorption. The in-house OWAconsult design team took the visual concept and created Opus, a concealed grid mineral tile that replicates the surface appearance of concrete and provides great sound absorption.



Opus



Opus

Opus – mineral tiles

All edges



| Length | Width | Thickness | Part no. | Units/pack | α_w /NRC | Price | Del. Cat. |
|---------|--------|-----------|----------|------------|-----------------|------------------------------|-----------|
| 600 mm | 600 mm | 20 mm | 00065241 | 8 | 0.70/0.65 | 45,90 €/m² | D |
| 625 mm | 625 mm | 20 mm | 00065111 | 8 | 0.70/0.65 | 45,90 €/m² | D |
| 1200 mm | 600 mm | 20 mm | 00070951 | 8 | 0.70/0.65 | 45,90 €/m² | D |
| 1250 mm | 625 mm | 20 mm | 00070213 | 8 | 0.70/0.65 | 45,90 €/m² | D |

Luminosonic LED – integrated lighting


| Length | Width | Height | Rating | Performance | Ballast unit | Part no. | Units/pack | Price | Del. Cat. |
|--------|--------|--------|--------|-------------|--------------|----------|------------|---------------------|-----------|
| 625 mm | 625 mm | 15 mm | IP 20 | 40 W | LED drivers | 00076669 | 1 | 159,00 €/pce | A |

Colour 4000 K, dimmable DALI, see page 67



S 19 Teccor – suspension system

| | Product no. | Product/component description | Units/pack | Price |
|----------|-------------|---|------------------------|------------------------------------|
| 1 | 12/30/2 | Adjustable hanger with double tension springs diameter: 4 mm, maximum load: 0.25 KN max. range of extension: 270 mm, a wire overhang of at least 15 mm must be provided | 100 pieces | 0,35 €/pce |
| 2 | 45 | Main tee height: 38 mm, width: 24 mm, visible side: white length: 3700 mm length: 3750 mm | 25 pieces 25 pieces | 1,98 €/m 1,98 €/m |
| 3 | 46 | Cross tee height: 32 mm, width: 24 mm, visible side: white length: 600 mm length: 625 mm | 75 pieces 75 pieces | 1,98 €/m 1,98 €/m |
| 4 | 47 | Cross tee height: 32 mm, width: 24 mm, visible side: white length: 1200 mm length: 1250 mm | 50 pieces 50 pieces | 1,98 €/m 1,98 €/m |
| 5 | 50/19 | Shadow wall angle height: 38 mm, total width: 30 mm, visible width: 15 mm, length: 3050 mm, visible side: white | 15 pieces | 2,68 €/m |
| 6 | 819 | Hold down clip for no. 45, 46, 47; corrosion-resistant | 500 pieces | 0,24 €/pce |



ICO 2
NIC 0
AWA 1
RDS 8

INNOVATIVE
ARCHITECTURE

best of best

Creativity at your fingertips


Creaprint

Company logo, pictures, directions, symbols, instructions or the creation of special environments such as jungles and skies, all can be printed on OWA ceiling tiles using our creative printing service "Creaprint". Select from library pictures or send us your own hi-res images and we will put them in the ceiling on a single, on multiple tiles or a complete ceiling; the only limitation is your imagination.


Creaprint




Starry sky



Galaxie blue



Galaxie black



Clouded sky

In addition to the motifs above the Creaprint mineral tiles can also be printed with individual motifs or colours similar RAL; see brochure no. 1899 e and the file guidelines for Creaprint.

Creaprint Constellation – mineral tiles – individual motifs and colours similar RAL/NCS

All edges **3**

| Length | Width | Thickness | Part no. | α_w /NRC | Price | Del. Cat. |
|--------|--------|-----------|---------------|-----------------|----------------------|-----------|
| 600 mm | 600 mm | 15 mm | order-related | 0.70 / 0.65 | 17,90 €/piece | D |
| 625 mm | 625 mm | 15 mm | order-related | 0.70 / 0.65 | 17,90 €/piece | D |

Creaprint Constellation – mineral tiles – Clouded sky set of 9

All edges **3**

| Length | Width | Thickness | Part no. | α_w /NRC | Price | Del. Cat. |
|--------|--------|-----------|----------|-----------------|----------------------|-----------|
| 600 mm | 600 mm | 15 mm | 00073367 | 0.70 / 0.65 | 17,90 €/piece | D |
| 625 mm | 625 mm | 15 mm | 00073365 | 0.70 / 0.65 | 17,90 €/piece | D |


Costs of data transfer: one-time payment 38,00 €/image net.
Costs of data preparation or data processing according to expenditure.



S 15 cliq – suspension system

| | Product no. | Product/component description | Units/pack | Price |
|---|-------------|---|------------------------|------------------------------------|
| 1 | 12/30/2 | Adjustable hanger with double tension springs diameter: 4 mm, maximum load: 0.25 KN max. range of extension: 270 mm; a wire overhang of at least 15 mm must be provided | 100 pieces | 0,35 €/pce |
| 2 | cliq-15-MR | Main tee height: 38 mm, width: 15 mm, visible side: white length: 3000 mm length: 3125 mm | 20 pieces 20 pieces | 2,08 €/m 2,08 €/m |
| 3 | cliq-15-CT | Cross tee short, joggled height: 38 mm, width: 15 mm, visible side: white length: 600 mm length: 625 mm | 60 pieces 60 pieces | 2,08 €/m 2,08 €/m |
| 4 | cliq-15-CT | Cross tee long, joggled height: 38 mm, width: 15 mm, visible side: white length: 1200 mm length: 1250 mm | 60 pieces 60 pieces | 2,08 €/m 2,08 €/m |
| 5 | 50G | Wall angle height: 24 mm, width: 19 mm, length: 3050 mm visible side: white | 40 pieces | 1,42 €/m |

Also available for system S 3 / S 3 cliq (24 mm profile) system





Homogeneous structures - high absorption values

OWAstripe

OWAstripe designs ceilings. OWAstripe creates horizons, makes rooms appear new and provides a structure for the installation of lights, sprinklers or loudspeakers. Three different formats of linear panels with fine, white, fleece-laminated surface can be combined according to one's individual style. Also they allow a clear assignment of the technical installations and a discreet, homogeneous appearance. The corresponding electrical installations behind are easy to bundle and can be quickly installed. With an absorption value of $\alpha_w/\text{NRC} = 0.70$ OWAstripe also sets acoustic standards. The linear luminaire OWAstripe LED ideally complements this system. OWAlumino (page 66) allows further combination possibilities.

OWAstripe



OWAstripe – mineral tiles

All edges

15b

10

| Length | Width | Thickness | Part no. | Units/pack | α_w /NRC | Price | Del. Cat. |
|---------|--------|-----------|----------|------------|-----------------|------------------------------|-----------|
| 1200 mm | 150 mm | 20 mm | 00075832 | 16 | 0,70 | 81,50 €/m² | D |
| 1200 mm | 300 mm | 20 mm | 00075846 | 8 | 0,70 | 28,30 €/m² | D |
| 1200 mm | 600 mm | 20 mm | 00075847 | 8 | 0,70 | 31,10 €/m² | D |

OWAstripe LED – integrated lighting


| Length | Width | Height | Rating | Performance | Ballast unit | Part no. | Units/pack | Price | Del. Cat. |
|---------|--------|--------|--------|-------------|--------------|----------|------------|---------------------|-----------|
| 1200 mm | 300 mm | 85 mm | IP 20 | 54 W | LED driver | 00076689 | 1 | 398,00 €/pce | D |

Colour 4000 K, dimmable DALI



OWAstripe – suspension system, semi-concealed

| | Product no. | Product/component description | Units/pack | Price |
|----------|-------------|---|--------------------------------------|---|
| 1 | 12 / 44 | Adjustable hanger length: 110 mm, width: 20 mm, zinc galvanized maximum load: 0.25 kN, incl. locking plate | 100 pieces | 0,39 €/pce |
| 2 | 3502 | Main tee, slots at 600 mm, without punching height: 38 mm, width: 14,3 mm, length: 3000 mm exterior: white, recess: white | 20 pieces | 3,13 €/m |
| 3 | 24 | L profile height: 14 mm, width: 10 mm, length: 295 mm length: 595 mm | 200 pieces 200 pieces | 0,41 €/pce 0,61 €/pce |
| 4 | 52 | Wall spring clip width: 16 mm, length: 110 mm, bronzed | 100 pieces | 0,34 €/pce |
| 5 | 43 | Spacer for module 150 mm: length: 175,5 mm for module 300 mm: length: 325,5 mm for module 600 mm: length: 625,5 mm | 100 pieces 50 pieces 50 pieces | 2,82 €/pce 2,38 €/m 2,38 €/m |
| | 50G | Wall angle height: 24 mm, width: 19 mm, length: 3050 mm visible side: white | 40 pieces | 1,42 €/m |
| | 50 / 15G | Shadow wall angle height: 33 mm, visible width: 15 mm, total width: 30 mm length: 3050 mm, visible side: white | 35 pieces | 2,49 €/m |





Strong Monoliths. Pretty formations.

Canto

The OWA ceiling canopy is based on the acoustically effective Sinfonia mineral tile (sound absorption value 0.85). Their uniform appearance from below and the large format size of 1024 x 1024 mm provide attractive acoustic solutions – either as a monolith for discreetly designed conversation areas or arranged to create formations with harmonic surface areas. Canto is the best solution for rooms with exposed concrete and also for improvements in acoustics.

Canto




Canto

| Length | Width | Thickness | Visible side | α_w /NRC | Part no. | Price | Del. Cat. |
|---------|---------|-----------|-----------------------|-----------------|----------|---------------------|-----------|
| 1024 mm | 1024 mm | 40 mm | fleece covered, white | 0.80 / 0.85 | 00071321 | 163,80 €/pce | B |

Price including fitting set (4 sets per ceiling canopy consisting of suspension wire, length: 1500 mm, rope adjuster with safety hook, fixture of ceiling M6)
Mineralboard Sinfonia is used for Canto

See brochure no. 1964 e Canopies



IC 0 2
NIC 0
AWA 1
RDS 8

INNOVATIVE
ARCHITECTURE

best of best

So easy to get good room acoustics

Curve


The canopies Curve 1 (convex) and Curve 2 (concave) are white, fleece-covered, glasswool-based ceiling canopy modules and therefore a real lightweight on the ceiling. Even the edges are white and finished so that the individual modules can be hung alone or arranged in formations. Huge acoustic bonus: Curve 1 is an A-class absorber (sound absorption value 1.00). The nearly square 1200 x 1100 mm concave-shaped module can be covered with coloured fabric. This opens new design options for the ceiling.

Curve

Curve 1



Curve 2



Curve 1

| Length | Width | Thickness | Visible side | α_w /NRC | Part no. | Price | Del. Cat. |
|---------|---------|-----------|-----------------------|-----------------|-------------------------|---------------------|-----------|
| 1200 mm | 1100 mm | 40 mm | fleece covered, white | 1.00 / 0.95 | 00074785 | 188,50 €/pce | D |
| 1200 mm | 1100 mm | 40 mm | coloured fabric | 1.00 / 0.95 | depending on the colour | 204,80 €/pce | D |

Curve 2

| Length | Width | Thickness | Visible side | α_w /NRC | Part no. | Price | Del. Cat. |
|---------|--------|-----------|-----------------------|-----------------|-------------------------|---------------------|-----------|
| 1100 mm | 910 mm | 40 mm | fleece covered, white | 1.00 / 0.95 | 00074786 | 159,60 €/pce | D |
| 1100 mm | 910 mm | 40 mm | coloured fabric | 1.00 / 0.95 | depending on the colour | 173,30 €/pce | D |

Packing unit for all canopies: 1 piece per parcel
Coloured fabric see brochure no. 1964 e Canopies

Fitting set for ceiling installation



| Component description | Part no. |
|--|----------|
| Fitting set contains 4 pieces of rope sets consisting of suspension wire, length: 1500 mm, rope adjuster with safety hook, fixture of ceiling M6 | 00071588 |

Please order one fitting set per canopy. The price includes the fitting set.

Fitting set for wall installation

| Component description | Part no. |
|---|----------|
| Wall installation set of 4 pieces one set includes 4 pieces of wall claws | 00073602 |

Please order one fitting set per wall absorber. The price includes the fitting set.







Geometry of the exclusive

Selecta

Do you combine form consciousness with high acoustic demands on your working environment? Then go for Selecta, an exclusive series made of light glasswool absorbers in the A-class format (noise absorption value $\alpha_w = 1.00$). You can choose from six striking basic forms with white underside views. They can be freely combined for highly expressive geometries. The fleece covered ceiling canopies, measuring up to 2,400 x 1,200 mm, are suspended with ceiling attachments and cables up to 1.5 m in length and open up countless options for creative acoustic solutions beneath almost any structure.

Selecta



Selecta

| | Length | Width | Thickness | Visible sides | α_w /NRC | Part no. | Price | Del. Cat. |
|----------------|------------------|---------|-----------|----------------------|-----------------|----------|---------------------|-----------|
| Selecta one | 1200 mm | 1200 mm | 40 mm | fleece covered white | 1.00/0.95 | 00074782 | 159,60 €/pce | D |
| Selecta concav | 1200 mm | 1200 mm | 40 mm | fleece covered white | 1.00/0.95 | 00076262 | 247,80 €/pce | D |
| Selecta convex | 1200 mm | 1200 mm | 40 mm | fleece covered white | 1.00/0.95 | 00076263 | 247,80 €/pce | D |
| Selecta plus | 1800 mm | 1200 mm | 40 mm | fleece covered white | 1.00/0.95 | 00074783 | 209,50 €/pce | D |
| Selecta grande | 2400 mm | 1200 mm | 40 mm | fleece covered white | 1.00/0.95 | 00074780 | 293,00 €/pce | D |
| Selecta loop | diameter 800 mm | | 40 mm | fleece covered white | 1.00/0.95 | 00077120 | 115,50 €/pce | D |
| Selecta loop | diameter 1000 mm | | 40 mm | fleece covered white | 1.00/0.95 | 00077180 | 141,80 €/pce | D |
| Selecta loop | diameter 1200 mm | | 40 mm | fleece covered white | 1.00/0.95 | 00074781 | 153,30 €/pce | D |

Packing unit for all canopies: 1 piece per parcel | See brochure no. 1964 e Canopies

Special formats/special shapes on request. Minimum quantity surcharge of 350,00 €/call for orders of special formats/special shapes less than 35 pieces, part no. 00076116.

Fitting set for ceiling installation





| | Component description | Part no. |
|-----------------------------------|--|----------|
| Selecta one, concav, convex, plus | Fitting set contains 4 pieces of rope sets consisting of suspension wire, 1500 mm, rope adjuster with safety hook, fixture of ceiling M6 | 00071588 |
| Selecta grande | Fitting set contains 6 pieces of rope sets consisting of suspension wire, 1500 mm, rope adjuster with safety hook, fixture of ceiling M6 | 00071589 |
| Selecta loop | Fitting set contains 3 pieces of rope sets consisting of suspension wire, 1500 mm, rope adjuster with safety hook, fixture of ceiling M6 | 00071590 |

Please order one fitting set per canopy. The price includes the fitting set.

Fitting set for wall installation

| | Component description | Part no. |
|----------------------------|---|----------|
| Wall installation set of 4 | One set includes 4 wall claws (for Selecta one and plus) | 00073602 |
| Wall installation set of 6 | One set includes 6 wall claws (for Selecta grande and for two pieces of Selecta loop) | 00073603 |

Please order one fitting set per canopy. The price includes the fitting set.





IC 0 2
N I C 0
A W A 1
R D S 8

INNOVATIVE
ARCHITECTURE


best of best

Colourful ceiling shapes have arrived

Selecta

As the name suggests, the Selecta range offers a large selection of shaped acoustic absorbers, including the square Selecta one, the cuboidal Selecta plus, Selecta grande and the circular Selecta loop, which offers a diverse range that leaves nothing to be desired. Each model offers an individual and customised acoustic solution for virtually any design imaginable. This exclusive collection can be effortlessly integrated into spaces that are unconventional in shape and size. The four different models are made of lightweight mineral wool and covered with a colourful fabric resulting in an attractive product with outstanding sound absorption qualities.

Selecta



Other colours see page 58 and 59.

Selecta

| | Length | Width | Thickness | Visible sides | α_w /NRC | Part no. | Price | Del. Cat. |
|----------------|------------------|---------|-----------|-----------------|-----------------|------------|---------------------|-----------|
| Selecta one | 1200 mm | 1200 mm | 40 mm | coloured fabric | 1.00 / 0.95 | on request | 181,70 €/pce | D |
| Selecta plus | 1800 mm | 1200 mm | 40 mm | coloured fabric | 1.00 / 0.95 | on request | 240,50 €/pce | D |
| Selecta grande | 2400 mm | 1200 mm | 40 mm | coloured fabric | 1.00 / 0.95 | on request | 328,70 €/pce | D |
| Selecta loop | diameter 800 mm | | 40 mm | coloured fabric | 1.00 / 0.95 | on request | 134,40 €/pce | D |
| Selecta loop | diameter 1000 mm | | 40 mm | coloured fabric | 1.00 / 0.95 | on request | 170,10 €/pce | D |
| Selecta loop | diameter 1200 mm | | 40 mm | coloured fabric | 1.00 / 0.95 | on request | 184,80 €/pce | D |

Packing unit for all canopies: 1 piece per parcel | See brochure no. 1964 e Canopies

Special formats/special shapes on request. Minimum quantity surcharge of 350,00 €/call for orders of special formats/special shapes less than 35 pieces, part no. 00076116.

Fitting set for ceiling installation





| | Component description | Part no. |
|----------------|--|----------|
| Selecta one | Fitting set contains 4 pieces of rope sets consisting of suspension wire, 1500 mm, rope adjuster with safety hook, fixture of ceiling M6 | 00071588 |
| Selecta plus | | |
| Selecta grande | Fitting set contains 6 pieces of rope sets consisting of suspension wire, 1500 mm, rope adjuster with safety hook, fixture of ceiling M6 | 00071589 |
| Selecta loop | Fitting set contains 3 pieces of rope sets consisting of suspension wire, 1500 mm, rope adjuster with safety hook, fixture of ceiling M6 | 00071590 |

Please order one fitting set per canopy. The price includes the fitting set.

Fitting set for wall installation

| | Component description | Part no. |
|----------------------------|---|----------|
| Wall installation set of 4 | One set includes 4 wall claws (for Selecta one and plus) | 00073602 |
| Wall installation set of 6 | One set includes 6 wall claws (for Selecta grande and for two pieces of Selecta loop) | 00073603 |

Please order one fitting set per canopy. The price includes the fitting set.





Acoustic, design and colour. Feel free to create your own style.

FreeStyle baffles with wire suspension

FreeStyle – it connects creative impetus with the readiness to tread new paths and combines the need to set your own accents with an open, spacious sense of style. Baffles and wall absorbers from the OWA FreeStyle series transport this feeling into the spatial realm. The combination possibilities are simply inexhaustible with the extra dimensions of horizontal, vertical or even trapezoidal planes. Thanks to the adjustable suspension, FreeStyle baffles hang from thin wires kept “free” from the ceiling and give the ceiling area, and along with it, the entire room, an entirely unique and very impressive character.

FreeStyle baffles – Wire suspension

Colours see page 58 and 59.

FreeStyle baffles

All edges **3**


| | Length | Height | Thickness | Part no. | Colour fabric | Units/pack | α_w /NRC | Price/package | Del. Cat. |
|-------------|---------|--------|-----------|------------|----------------------|------------|-----------------|-----------------|-----------|
| FreeStyle S | 1200 mm | 200 mm | 40 mm | on request | coloured fabric | 6 | 0.60 / 0.70 | 211,80 € | D |
| | 1200 mm | 200 mm | 40 mm | 00076308 | fleece covered white | 6 | 0.60 / 0.70 | 162,60 € | D |
| FreeStyle M | 1200 mm | 400 mm | 40 mm | on request | coloured fabric | 3 | 0.60 / 0.70 | 185,40 € | D |
| | 1200 mm | 400 mm | 40 mm | 00076639 | fleece covered white | 3 | 0.60 / 0.70 | 153,90 € | D |
| FreeStyle L | 1200 mm | 600 mm | 40 mm | on request | coloured fabric | 2 | 0.60 / 0.70 | 179,20 € | D |
| | 1200 mm | 600 mm | 40 mm | 00076796 | fleece covered white | 2 | 0.60 / 0.70 | 147,60 € | D |

Special formats/special shapes on request.
See brochure no. 1588 e FreeStyle

Fitting set for wire suspension

| Component description/dimension | Part no. | Price |
|---|----------|------------------------|
| Wire hanger with eye, hook with safety catch, steel rope, length 1500 mm, ceiling fastener M6, set of 2 | 00074839 | 18,27 €/pce |
| Connecting clip for longitudinal joint of baffles | 00080545 | 21,60 €/package |

Please order one fitting set per baffle.





Acoustic, design and colour.
Feel free to create your own style.

FreeStyle baffles with system S 3

FreeStyle – it connects creative impetus with the readiness to tread new paths and combines the need to set your own accents with an open, spacious sense of style. Baffles and wall absorbers from the OWA FreeStyle series transport this feeling into the spatial realm. The combination possibilities are simply inexhaustible with the extra dimensions of horizontal, vertical or even trapezoidal planes. Thanks to the suspension option on the DIN rail no. 45 the FreeStyle slats hover directly under the ceiling and give a ceiling in the S 3 system and with it the entire room a very unique, very impressive character.

FreeStyle baffles – with system S 3

Colours see page 58 and 59.

FreeStyle baffles

Lk/Sk

3




| | Length | Height | Thickness | Part no. | Colour fabric | Units/pack | α_w /NRC | Price/package | Del. Cat. |
|-------------|---------|--------|-----------|------------|----------------------|------------|-----------------|-----------------|-----------|
| FreeStyle S | 1200 mm | 200 mm | 40 mm | on request | coloured fabric | 6 | 0,60/0,70 | 211,80 € | D |
| | 1200 mm | 200 mm | 40 mm | 00076308 | fleece covered white | 6 | 0,60/0,70 | 162,60 € | D |
| FreeStyle M | 1200 mm | 400 mm | 40 mm | on request | coloured fabric | 3 | 0,60/0,70 | 185,40 € | D |
| | 1200 mm | 400 mm | 40 mm | 00076639 | fleece covered white | 3 | 0,60/0,70 | 153,90 € | D |
| FreeStyle L | 1200 mm | 600 mm | 40 mm | on request | coloured fabric | 2 | 0,60/0,70 | 179,20 € | D |
| | 1200 mm | 600 mm | 40 mm | 00076796 | fleece covered white | 2 | 0,60/0,70 | 147,60 € | D |

Special formats/special shapes on request.
See brochure no. 1588 e FreeStyle

Fitting set with system S 3

| | Product no. | Product/component description | Part no. | Units/pack | Price |
|------------|-------------|--|----------|------------|--------------------|
| 1 | 12/.../2 | Adjustable hanger with double tension spring diameter: 4 mm, maximum load: 0,25 KN, max. range of extension: 270 mm a wire overhang of at least 15 mm must be provided | | 100 pieces | 0,35 €/pce |
| 2 | 45 | Main tee, height: 38 mm, width: 24 mm length: 3750 mm, visible side: white | | 25 pieces | 1,98 €/m |
| 3 | 46 | Cross tee, height: 32 mm, width: 24 mm length: 625 mm, visible side: white | | 75 pieces | 1,98 €/m |
| 4/5 | | Fixation set for system S 3 consists of 2 pieces of screw terminals with hook and 2 pieces of spiral hangers | 00077389 | 2 pieces | 12,81 €/pce |

Please order one fitting set per baffle.



IC 0 2
NIC 0
AWA 1
RDS 8

INNOVATIVE
ARCHITECTURE

best of best

Limitless freedom for your own style


FreeStyle wall absorber

Numerous combination possibilities – good acoustics: With FreeStyle wall absorbers from OWA, it is possible to create individual, unique interior landscapes. In different sizes and shapes, they can transform any wall in the room into a 3D surface and that way literally create a “moving” room experience! The carefully colour-coordinated and geometrically-matched elements of the FreeStyle collection signify this high degree of individual design freedom. A special feature of the FreeStyle series is its good absorption capability. Noise and sounds are swallowed with an absorption level of up to 90 %. Good design comes together with effective control of reverberation, especially important in potentially noisy areas such as in restaurants and open-plan offices in order to realise good speech intelligibility.

FreeStyle wall absorber



No. 52827 red



No. 52829 dark brown



No. 52836 light beige



No. 52837 middle brown

Other colours see page 58 and 59.

FreeStyle wall absorber

| | Type | Length | Width | Thickness | Part no. | Colour fabric | Units/pack | α_w /NRC | Price/package | Del. Cat. |
|--------------|---------------|---------|------------|-----------|----------|------------------------|------------|-----------------|-----------------|-----------|
| FreeStyle TR | Trapeze right | 1200 mm | 400/200 mm | 40/20 mm | 00074950 | No. 52827 red | 4 | 0.90/0.85 | 365,60 € | D |
| | | 1200 mm | 400/200 mm | 40/20 mm | 00074976 | No. 52829 dark brown | 4 | 0.90/0.85 | 365,60 € | D |
| | | 1200 mm | 400/200 mm | 40/20 mm | 00074980 | No. 52836 light beige | 4 | 0.90/0.85 | 365,60 € | D |
| | | 1200 mm | 400/200 mm | 40/20 mm | 00074982 | No. 52837 middle brown | 4 | 0.90/0.85 | 365,60 € | D |
| FreeStyle TL | Trapeze left | 1200 mm | 400/200 mm | 40/20 mm | 00074983 | No. 52827 red | 4 | 0.90/0.85 | 365,60 € | D |
| | | 1200 mm | 400/200 mm | 40/20 mm | 00074984 | No. 52829 dark brown | 4 | 0.90/0.85 | 365,60 € | D |
| | | 1200 mm | 400/200 mm | 40/20 mm | 00074985 | No. 52836 light beige | 4 | 0.90/0.85 | 365,60 € | D |
| | | 1200 mm | 400/200 mm | 40/20 mm | 00074986 | No. 52837 middle brown | 4 | 0.90/0.85 | 365,60 € | D |
| FreeStyle R | | 1200 mm | 600 mm | 40 mm | 00074987 | No. 52827 red | 2 | 0.90/0.85 | 168,00 € | D |
| | | 1200 mm | 600 mm | 40 mm | 00074988 | No. 52829 dark brown | 2 | 0.90/0.85 | 168,00 € | D |
| | | 1200 mm | 600 mm | 40 mm | 00074989 | No. 52836 light beige | 2 | 0.90/0.85 | 168,00 € | D |
| | | 1200 mm | 600 mm | 40 mm | 00074990 | No. 52837 middle brown | 2 | 0.90/0.85 | 168,00 € | D |
| FreeStyle Q | | 1200 mm | 1200 mm | 40 mm | 00074991 | No. 52827 red | 1 | 0.90/0.85 | 181,70 € | D |
| | | 1200 mm | 1200 mm | 40 mm | 00074992 | No. 52829 dark brown | 1 | 0.90/0.85 | 181,70 € | D |
| | | 1200 mm | 1200 mm | 40 mm | 00074993 | No. 52836 light beige | 1 | 0.90/0.85 | 181,70 € | D |
| | | 1200 mm | 1200 mm | 40 mm | 00074994 | No. 52837 middle brown | 1 | 0.90/0.85 | 181,70 € | D |
| FreeStyle QS | | 600 mm | 600 mm | 40/20 mm | 00074995 | No. 52827 red | 8 | 0.90/0.85 | 554,40 € | D |
| | | 600 mm | 600 mm | 40/20 mm | 00074996 | No. 52829 dark brown | 8 | 0.90/0.85 | 554,40 € | D |
| | | 600 mm | 600 mm | 40/20 mm | 00074997 | No. 52836 light beige | 8 | 0.90/0.85 | 554,40 € | D |
| | | 600 mm | 600 mm | 40/20 mm | 00074998 | No. 52837 middle brown | 8 | 0.90/0.85 | 554,40 € | D |


Special formats/special shapes on request.

See brochure no. 1588 e FreeStyle


Fitting set

| Component description/dimension | Part no. |
|--|----------|
| Wall installation set of 4 piece for FreeStyle Q and R set contains 4 pieces of wall claws | 00073602 |
| Wall installation set of 4 piece for FreeStyle TR, TL und QS set contains 2 pieces of wall claws 60 x 52 x 15 mm and 2 pieces of wall claws 88 x 52 x 35 mm | 00075611 |


Please order one fitting set per wall absorber. The price includes the fitting set.




FreeStyle Q




FreeStyle R



FreeStyle TR



FreeStyle TL



FreeStyle QS


Coloured fabric for canopies Curve | Selecta | FreeStyle



52826 | dark red



52827 | red




52828 | orange




52829 | dark brown



52830 | black



52831 | dark grey




52832 | yellow



52833 | green-grey



52834 | light grey



52835 | white



52836 | light beige




52837 | medium brown




52838 | mottled brown



52839 | grey




52840 | mottled orange



52841 | petrol




52842 | mottled green




52843 | blue


Coloured fabric for canopies Curve | Selecta | FreeStyle




52844 | midnight blue




52845 | violet



55244 | stone grey




55245 | olive green



55246 | light blue




55247 | mint green



55248 | dark green



55249 | grey-blue



55250 | light yellow

Technical specifications

| | |
|--------------------|------------------------------|
| Composition | 100 % polyester, FR ATY yarn |
| Weave | Panama |
| Weight | 320 g/m ² |
| Width | 1500 mm (+/- 50 mm) |

IC 0 2
NIC 0
AWA 1
RDS 8


INNOVATIVE
ARCHITECTURE

best of best

Acoustics and aesthetics

Wallboard

The quality of an internal environment can make a dramatic difference to the effectiveness of an area and acoustics are one of the key, invisible, elements that influence it. Uncontrolled reverberation in a residential or commercial space is not conducive to the creation of an efficient or relaxing space. Available in a number of sizes and formats "Wallboard" is designed to provide high levels of sound absorption as well as visually complement and enhance a room.








Wallboard



Wallboard 1: 1274 x 649 x 90 mm

Wallboard 2: 1794 x 649 x 90 mm

Wallboard 3: 1794 x 909 x 90 mm

| Front | | Type | Part no. | Wallboard 1 | Part no. | Wallboard 2 | Part no. | Wallboard 3 | NRC/ α_w | Del. Cat. |
|--|--|------|----------|----------------------------|----------|----------------------------|----------|----------------------------|-----------------|-----------|
| Anodised aluminium RL 2.5/8.0 (7.6 %) |  | B | 00047010 | 453,60 € 9.6 kg | 00047011 | 552,30 € 13.1 kg | 00047014 | 689,30 € 17.0 kg | 1.00/1.00 | D |
| Anodised aluminium QL 5/8 (39.1 %) |  | B | 00046744 | 453,60 € 9.4 kg | 00046993 | 552,30 € 12.8 kg | 00046996 | 689,30 € 16.5 kg | 1.00/1.00 | D |
| Anodised aluminium non-perforated |  | T | 00047068 | 453,60 € 11.3 kg | 00047069 | 539,00 € 15.6 kg | 00047072 | 673,50 € 20.4 kg | 0.60/0.35 | D |
| OWAcoustic tile fleece covered, white |  | B | 00062875 | 399,00 € 10.7 kg | 00062876 | 491,40 € 14.6 kg | 00062879 | 621,70 € 19.0 kg | 1.00/1.00 | D |
| OWAcoustic tile fleece covered, Creaprint ¹ |  | B | 00062881 | 464,10 € 10.7 kg | 00062882 | 548,70 € 14.6 kg | 00062885 | 702,20 € 19.0 kg | 1.00/1.00 | D |

B = broadband absorber | T = low frequency absorber | ¹ Creaprint front: plus 38.00 € digital costs per motif

Freight costs of 145,00 € apply for orders < 2500,00 €.

For colour finishes according to RAL/NCS for frames and/or front side 50,00 € per colour sample will be charged. This sample is required for approval by the customer, part no. 00080482.

Note: irregularities in the surface of the panels and profiles are a result of the material or manufacturing process and do not constitute a fault or flaw in the product.

See brochure no. 1587 e Absorber

IC0 2
NIC 0
AWA 1
RDS 8

INNOVATIVE
ARCHITECTURE

best of best


Room acoustics on the move

Free space

As a mobile screen "Free Space" offers localised acoustic control and can be used to create notional meeting zones, separate desks or provide work stations in call centres, offices and foyers. Available in a range of colours and a choice of three standard sizes, "Free Space" is the ideal mobile partition solution.




Free space



Red

Blue-grey

Light grey



Yellow

Green

Dark blue

Free space mobile absorbers are covered with fabric on both sides and feature a slim aluminium frame.

Free space 1: 1312 x 687 x 80 mm

Free space 2: 1832 x 687 x 80 mm

Free space 3: 1832 x 947 x 80 mm

| Frame front and rear | Part no. | Free space 1 | Part no. | Free space 2 | Part no. | Free space 3 | α_w /NRC | Del. Cat. |
|----------------------|----------|-----------------|----------|-----------------|----------|-----------------|-----------------|-----------|
| Rot | 00061476 | 566,00 € | 00061491 | 664,70 € | 00061525 | 822,20 € | 0,95 / 0,90 | D |
| Blaugrau | 00061477 | 566,00 € | 00061492 | 664,70 € | 00061526 | 822,20 € | 0,95 / 0,90 | D |
| Hellgrau | 00061478 | 566,00 € | 00061493 | 664,70 € | 00061527 | 822,20 € | 0,95 / 0,90 | D |
| Gelb | 00061479 | 566,00 € | 00061494 | 664,70 € | 00061528 | 822,20 € | 0,95 / 0,90 | D |
| Grün | 00061480 | 566,00 € | 00061495 | 664,70 € | 00061529 | 822,20 € | 0,95 / 0,90 | D |
| Dunkelblau | 00061482 | 566,00 € | 00061497 | 664,70 € | 00061532 | 822,20 € | 0,95 / 0,90 | D |
| Weight | | 14.5 kg | | 17.3 kg | | 19.5 kg | | |

Prices including the base, 4 fixing plates and screws

See brochure no. 1587 e Absorber

ICD 2
NIC 0
AWA 1
RDS 8

INNOVATIVE
ARCHITECTURE

best of best



Leave your own
impression!

Art

Select from a library of images or provide your own digital pictures and we can print them onto your very own unique "Art" broadband wall absorbers.

Art



Art 1: 1200 x 800 x 30 mm

Art 2: 1500 x 1000 x 30 mm

| Frame front | Part no. | Art 1 | Part no. | Art 2 | α_w /NRC | Del. Cat. |
|-----------------------|----------|----------------------------------|----------|----------------------------------|-----------------|-----------|
| 2 x printable fleece* | 00064019 | up to 29 pcs 329,70 €/pce | 00064020 | up to 29 pcs 413,70 €/pce | 0,70 / 0,65 | B |
| 2 x printable fleece* | 00064019 | min. 30 pcs 247,80 €/pce | 00064020 | min. 30 pcs 327,60 €/pce | 0,70 / 0,65 | B |

* Please order two fleece layers (without any interference about acoustics) if the motif has a high amount of white colour or an unprinted area. Otherwise you will see the shape of the frame through the one layer of fleece.

Costs of digital printing 38,00 €/image.

Delivery times following acceptance of your image.

“Art” wall absorbers are manufactured with no visible frame and are only 30 mm thick, making them light and easy to install. Available in two standard sizes.

To create your own performance “Art” select from a library of pictures or provide your own hi- res digital image. We will create your own “working” picture, logo or portrait ready to hang on your wall.

As a subtle way to introduce sound absorption using a visual medium, “Art” can be installed in spaces such as foyers, classrooms or meeting rooms. They are especially effective in areas where there are lots of hard surface such as restaurants or even art galleries!

See Brochure no. 1587 e Absorber



Luminosonic – The acoustic luminaire

Luminosonic

Stylish, luminous and easy to install: three advantages that are unmistakable for Luminosonic. But the luminaire can do more - it absorbs the sound! The level of intensity is defined by the use of space, the desired surface and the design concept. The installation of Luminosonic for OWA systems S 3 and S 19 Teccor is very simple: first insert the luminaire into the ceiling grid, then install the ceiling tile having the desired surface and sound absorption value - ready. No matter if a new ceiling is to be installed or if an existing one should be equipped with new, energy-efficient LED luminaires. Luminosonic does not only adapt itself, but also preserves the full power of sound absorption of the ceiling!



Luminosonic

Luminosonic LED – integrated lighting for the systems S 3 and S 19 Teccor



| Length | Width | Height | Rating | Performance | Ballast unit | Part no. | Units/pack | Price | Del. Cat. |
|--------|--------|--------|--------|-------------|--------------|----------|------------|---------------------|-----------|
| 625 mm | 625 mm | 15 mm | IP 20 | 40 W | LED drivers | 00076669 | 1 | 159,00 €/pce | A |

Colour 4000 K, dimmable DALI



IC 0 2
NIC 0
AWA 1
RDS 8

INNOVATIVE
ARCHITECTURE

best of best

Modern light – individual design

OWAlumino

This system completes the series of OWAlight. The advantage is that you can position OWAlumino regardless of an external profile. OWAlumino is compatible with all OWA systems and tile types and provides a pleasant light (cbulk-packed to daylight quality). The result is an attractive pattern on the ceiling and a variety of surface images.




OWAlumino

OWAlumino – LED cross tees for all OWA systems

| | Product/component description | Part no. | Units/pack | Price | Del. Cat. |
|----------|---|----------|------------|---------------------|-----------|
| 1 | OWAlumino LED light profile, 450 x 35 x 25 mm, anodised aluminium frame, opal-white plastic cover, ready-to-use power cord, cable length: 1200 mm, colour 4000 K, incl. 4 pcs. retaining clips, weight 320 g | 00070675 | 1 | 109,00 €/pce | B |
| 2 | Transformers for OWAlumino, 24 V, 150 W, to be connected to a multi-plug | 00070677 | 1 | 162,00 €/pce | B |
| 3 | Multi-plug, 6x, with open cable end to be connected to a transformer, length 200 mm | 00070678 | 1 | 11,90 €/pce | B |
| 4 | Extension cord, plug-socket, length 2000 mm | 00070679 | 1 | 9,60 €/pce | B |
| 5 | Dimmer, 12-24 VDC, dimmable 0-10 V/1-10 V | 00070680 | 1 | 42,00 €/pce | B |
| 6 | Dimmer DALI – 4-channel, constant voltage 12-24V | 00071678 | 1 | 176,00 €/pce | D |

OWAlumino can be used for all OWAacoustic/OWAconstruct ceiling systems and is independent of the different edges. On that point you must cut out into the tiles onsite, install the light with surrounding frame and put 4 retaining clips on the backside of the tile. The connection depends on the number of the lights of OWAlumino with multi plugs, maybe extension cable for the transformer. Lighting calculations and installation guides will be created by OWAconsult on request.

See brochure no. 1012 e OWAlumino



General information

Prices for OWAconsult collection on request.

Dimensions

The dimensions for the systems shown in this brochure are based on the „module“ size and actual tile measurements may differ.

Designs

Some designs shown in this brochure have been enlarged for clarity. Please ensure you are happy with your selection or if in any doubt request a sample to confirm it meets your requirements.

Colour

Tiles can be painted on site (see OWA-Installation Guide no. 9801 e) or off-site by others but variations to shade and or sheen may occur that are due to factors outside our control. Where the we supply any painted, printed or other coloured products it is imperative that material from different batches/production times are not mixed together in the same areas.

Tiles and suspension systems

The „OWAconsult collection“ tiles and ceiling systems are part of the OWAacoustic premium and OWAconstruct product range portfolio and the test results and/or certification regarding fire resistance, reaction to fire classifications and acoustic performance levels are applicable.

Components

All components shown in this brochure have been carefully selected for use with the OWAconsult collection and should not be replaced or substituted with non OWA products without independent verification that they are compatible. Where the ceiling is to provide fire resistance, sound absorption, airborne sound reduction or any other tested criteria the certification will be invalidated if the OWA components used in the test are not used in the installation. For more information on fire and the construction tested using OWA ceilings please see our brochure 9500 eu e.

All products are sold in carton, pack or bundle quantities only.

Delivery categories

- | | |
|---|---|
| A | Available within 8 days. Delivery period subject to delivery location. |
| B | Available within 3 weeks. Delivery period subject to delivery location. |
| C | Available within 3-6 weeks. Delivery period subject to delivery location. Minimum order of 100 m ² . Installation minimum order 250 m ² , cost: 195,00 €. |
| D | On request. |

Legal notice

Colours and textures may differ to those shown in this brochure due to the reproduction process. To ensure the product meets your requirements it is recommended that final selection is based on a physical sample and that the client verifies that it is suitable for the intended use. All technical information shown here and in all other OWA publication is based on tests carried out under laboratory conditions.

The information provided in this brochure is based on the standards and data available at the time of publication. Any performance, warranties or guarantees provided, expressed or implied, are subject to the exclusive use of OWA components and the installation of those components in accordance with our recommendations. Failure to adhere to these conditions will result in the invalidation of any performance claims, warranties or guarantees and rejection of any liability. OWA reserves the right to make any technical improvements in the products, systems or services without prior notice. All goods and services are supplied in accordance with our current Terms and Conditions of Sale. (E&OE)

OWAconsult consulting service

The OWAconsult product hotline provides access to our team of experts who can provide free information and answers to any questions you have on the OWAconsult collection.

Hotline number +49 93 73 . 2 01-4 44

E-mail: info@owaconsult.de

In addition to free telephone advice the OWAconsult consulting service can prepare reflected ceiling plans, ceiling details and create graphic representation for OWAconsult collection products as well as provide details of quantities required for the project.

The chargeable rates for these services, along with the provision of acoustic calculations (RT) training courses, fire resistance (expert opinions), CAD drawings, light calculations and other technical services are calculated at cost and are available from the OWAconsult service on page 72.

The information in this brochure is up-to-date at the time of publication. Errors and mistakes excepted. Please contact our competence team OWAconsult for specific advice (see contact details above).

Services

Acoustic

Acoustic measurement on-site (large measurement)

Measurements 1 day on-site (reverberation time)

| | |
|---|-----------|
| – 10 hrs at 120,00 €/hr | 1200,00 € |
| – Report (assessment, written confirmation) | 45,00 € |
| – Expenses/travel costs per km | 0,30 € |

Measurements 2 days on-site (reverberation time)

| | |
|---|-----------|
| – 20 hrs at 120,00 €/hr | 2400,00 € |
| – Report (assessment, written confirmation) | 90,00 € |
| – Expenses/travel costs per km | 0,30 € |

Overnight stays will be invoiced as incurred

Provision of hand-held measurement device (minor measurement):

3-day period plus shipping costs and incl. brief report 250,00 €

More in-depth processing as incurred 90,00 €/hr

Reverberation time calculations on the basis of the OWAconsult checklist:

Free service

Training/Instructions

External specialist presentations
(acoustics, CE, fire protection)
+ travel expenses 1500,00 €

Introduction in installation of OWA ceiling tile systems 120,00 €/hr

OWAplan
+ travel expenses 40,00 €/hr

Fire protection

Fire protection assessment
(simple to medium effort approx. 4-6 hrs) 850,00 € to 1400,00 €

Fire protection assessment
(major effort approx. 10-15 hrs) up to 2000,00 €

Preparation of layout plans and/or CAD details

At cost
Hourly rate 75,00 €/hr

Other services






Static calculation/determination of material or quantities/
elaboration of special details 75,00 €/each

Light calculation on the basis of the OWAconsult checklist






Calculation for a room
(depending on the effort) min. 300,00 €
for any additional room 150,00 €






List of accessories







| | No. | Product/component description | Units/pack | Price |
|---|-------------------|--|-------------------------------------|---|
|  | cliq-15-MR | Main tee height: 38 mm width: 15 mm visible side: white | | |
| | | length: 3000 mm length: 3125 mm | 20 pieces 20 pieces | 2,08 €/m 2,08 €/m |
|  | cliq-15-CT | Cross tee short, joggled height: 38 mm width: 15 mm visible side: white | | |
| | | length: 300 mm length: 600 mm length: 625 mm | 60 pieces 60 pieces 60 pieces | 1,18 €/pce 2,08 €/m 2,08 €/m |
|  | cliq-15-CT | Cross tee long, joggled height: 38 mm width: 15 mm visible side: white | | |
| | | length: 1200 mm length: 1250 mm | 60 pieces 60 pieces | 2,08 €/m 2,08 €/m |
|  | cliq-24-MR | Main tee height: 38 mm width: 24 mm visible side: white | | |
| | | length: 3600 mm length: 3750 mm | 20 pieces 20 pieces | 1,98 €/m 1,98 €/m |
|  | cliq-24-CT | Cross tee short, joggled height: 25 mm width: 24 mm visible side: white | | |
| | | length: 600 mm length: 625 mm | 60 pieces 60 pieces | 1,98 €/m 1,98 €/m |
|  | cliq-24-CT | Cross tee short, joggled height: 25 mm width: 24 mm visible side: white | | |
| | | length: 300 mm length: 312.5 mm | 60 pieces 60 pieces | 1,14 €/pce 1,14 €/pce |









| | No. | Product/component description | Units/pack | Price |
|---|-------------------|--|------------------------|------------------------------------|
|  | cliq-24-CT | Cross tee long, joggled height: 32 mm width: 24 mm visible side: white | | |
| | | length: 1200 mm length: 1250 mm | 60 pieces 60 pieces | 1,98 €/m 1,98 €/m |
|  | 12/10 * | Adjustable hanger length: 110 mm width: 20 mm, galvanized maximum load: 0.15 kN | | |
| | | | 100 pieces | 0,39 €/pce |
|  | 12/30/2 * | Adjustable hanger with double tension spring diameter: 4 mm maximum load: 0.25 kN max. range of extension: 270 mm, a wire overhang of at least 15 mm must be provided | | |
| | | | 100 pieces | 0,35 €/pce |
|  | 12/44 * | Adjustable hanger cliq fitting to cliq-MR and no. 45 length: 110 mm width: 20 mm galvanized maximum load: 0.25 kN incl. locking plate; Please note installation manual! | | |
| | | | 100 pieces | 0,39 €/pce |
|  | | Extension/upper hangers suitable for no.12/10 and no. 12/44, galvanized, diameter: 4 mm | | |
| | 14/12/2 | length: 125 mm | 100 pieces | 0,08 €/pce |
| | 14/25/2 | length: 250 mm | 100 pieces | 0,12 €/pce |
| | 14/37/2 | length: 370 mm | 100 pieces | 0,15 €/pce |
| | 14/50/2 | length: 500 mm | 100 pieces | 0,21 €/pce |
| | 14/75/2 | length: 750 mm | 100 pieces | 0,26 €/pce |
| | 14/100/2 | length: 1000 mm | 100 pieces | 0,37 €/pce |
| | 14/125/2 | length: 1250 mm | 100 pieces | 0,42 €/pce |
| | 14/150/2 | length: 1500 mm | 100 pieces | 0,48 €/pce |
| | 14/175/2 | length: 1750 mm | 100 pieces | 0,61 €/pce |
| | 14/200/2 | length: 2000 mm | 100 pieces | 0,67 €/pce |
| | 14/250/2 | length: 2500 mm | 100 pieces | 0,96 €/pce |
| | 14/300/2 | length: 3000 mm | 100 pieces | 1,23 €/pce |

* **Please note:** a wire overhang on the spring of at least 15 mm must be maintained.

| | No. | Product/component description | Units/pack | Price |
|---|---------------|---|------------|-------------------|
|  | | Nonius hanger extension suitable for no.17/..., 79/..., 09/45 or 09/10, galvanized, longer extensions are available on request a = approx. 55 mm | | |
| | 16/15 | L = approx. 140 mm, 170 mm punched | 100 pieces | 0,22 €/pce |
| | 16/20 | L = approx. 190 mm, 170 mm punched | 100 pieces | 0,26 €/pce |
| | 16/30 | L = approx. 290 mm, 170 mm punched | 100 pieces | 0,32 €/pce |
| | 16/40 | L = approx. 390 mm, 170 mm punched | 100 pieces | 0,35 €/pce |
| | 16/50 | L = approx. 490 mm, 170 mm punched | 100 pieces | 0,45 €/pce |
| | 16/60 | L = approx. 590 mm, 170 mm punched | 100 pieces | 0,56 €/pce |
| | 16/70 | L = approx. 690 mm, 170 mm punched | 100 pieces | 0,64 €/pce |
| | 16/80 | L = approx. 790 mm, 170 mm punched | 100 pieces | 0,69 €/pce |
| | 16/90 | L = approx. 890 mm, 170 mm punched | 100 pieces | 0,82 €/pce |
| | 16/100 | L = approx. 990 mm, 170 mm punched | 100 pieces | 0,89 €/pce |
| | 16/110 | L = approx. 1090 mm, 200 mm punched | 25 pieces | 1,22 €/pce |
| | 16/120 | L = approx. 1190 mm, 200 mm punched | 25 pieces | 1,32 €/pce |
| | 16/130 | L = approx. 1290 mm, 200 mm punched | 25 pieces | 1,40 €/pce |
| | 16/140 | L = approx. 1390 mm, 200 mm punched | 25 pieces | 1,50 €/pce |
| | 16/150 | L = approx. 1490 mm, 200 mm punched | 25 pieces | 1,67 €/pce |
| | 16/160 | L = approx. 1590 mm, 200 mm punched | 25 pieces | 1,76 €/pce |
| | 16/170 | L = approx. 1690 mm, 200 mm punched | 25 pieces | 1,86 €/pce |
| | 16/180 | L = approx. 1790 mm, 200 mm punched | 25 pieces | 1,96 €/pce |
| | 16/190 | L = approx. 1890 mm, 200 mm punched | 25 pieces | 2,08 €/pce |
| | 16/200 | L = approx. 1990 mm, 200 mm punched | 25 pieces | 2,19 €/pce |
|  | 20 | Z profile height: 21 mm Flange width: 19 mm length: 3000 mm galvanized | 25 pieces | 1,46 €/m |
| | | | | |
|  | 23 | T profile height: 12.5 mm width: 10 mm length: 307 mm | 250 pieces | 0,46 €/pce |
| | | | | |
|  | 24 | L profile height: 14mm width: 10 mm length: 295 mm | 200 pieces | 0,41 €/pce |
| | | 307 mm | 200 pieces | 0,49 €/pce |
| | | 595 mm | 100 pieces | 0,61 €/pce |
|  | 25 | Connector height: 20 mm width: 11 mm length: 150 mm galvanized | 100 pieces | 0,40 €/pce |
| | | | | |

| | No. | Product/component description | Units/pack | Price |
|---|---------|--|--|--|
|  | 37 | L profile for Trapeze 1 length: 1250 mm trim onsite | 50 pieces | 1,52 €/m |
|  | 42 / 15 | Contura-blocks height: 8 mm width: 15 mm total width: 24 mm white | 100 pieces | 0,26 €/pce |
|  | 43 | Spacer for grid: 150 mm 300 mm 600 mm galvanized length: 175.5 mm 325.5 mm 625.5 mm | 100 pieces 50 pieces 50 pieces | 2,82 €/pce 2,38 €/m 2,38 €/m |
|  | 45 | Main tee height: 38 mm width: 24 mm visible side: white length: 3700 mm length: 3750 mm visible side: Bamboo natural colour length: 3700 mm length: 3750 mm visible side: Bamboo dark length: 3700 mm length: 3750 mm | 25 pieces 25 pieces 25 pieces 25 pieces 25 pieces 25 pieces | 1,98 €/m 1,98 €/m 3,65 €/m 3,65 €/m 3,65 €/m 3,65 €/m |
|  | 46 | Cross tee height: 32 mm width: 24 mm visible side: white length: 600 mm length: 625 mm visible side: Bamboo natural colour length: 600 mm length: 625 mm visible side: Bamboo dark length: 600 mm length: 625 mm | 75 pieces 75 pieces 75 pieces 75 pieces 75 pieces 75 pieces | 1,98 €/m 1,98 €/m 3,65 €/m 3,65 €/m 3,65 €/m 3,65 €/m |




| | No. | Product/component description | Units/pack | Price |
|---|------------------|--|------------------------|------------------------------------|
|  | 47 | Cross tee height: 32 mm width: 24 mm | | |
| | | visible side: white length: 1200 mm length: 1250 mm | 50 pieces 50 pieces | 1,98 €/m 1,98 €/m |
| | | visible side: Bamboo natural colour length: 1200 mm length: 1250 mm | 50 pieces 50 pieces | 3,65 €/m 3,65 €/m |
| | | visible side: Bamboo dark length: 1200 mm length: 1250 mm | 50 pieces 50 pieces | 3,65 €/m 3,65 €/m |
|  | 50G | Wall angle height: 24 mm width: 19 mm length: 3050 mm | | |
| | | visible side: white | 40 pieces | 1,42 €/m |
| | | visible side: Bamboo natural colour visible side: Bamboo dark | 40 pieces 40 pieces | 3,54 €/m 3,54 €/m |
|  | 50 / 15G | Shadow wall angle height: 33 mm visible width: 15 mm total width: 30 mm length: 3050 mm visible side: white | 35 pieces | 2,49 €/m |
|  | 50 / 19 | Shadow wall angle height: 38 mm total width: 30 mm, visible width: 15 mm length: 3050 mm | | |
| | | visible side: white | 15 pieces | 2,68 €/m |
| | | visible side: Bamboo natural colour visible side: Bamboo dark | 15 pieces 15 pieces | 5,21 €/m 5,21 €/m |
|  | 51 / 22 | Wall angle height: 50 mm width: 22 mm thickness: 0.7 mm length: 3000 mm visible side: white | 10 pieces | 6,46 €/m |
|  | 51 / 22-0 | Curved wall profile column half-ring height: 50 mm width: 22 mm thickness: 2.0 mm length: variable visible side: white | bulk-packed | On request |

| | No. | Product/component description | Units/pack | Price |
|---|-----------------|--|------------------------|------------------------------------|
|  | 51 / 32G | Wall angle height: 32 mm width: 19 mm thickness: 0.5 mm length: 3000 mm visible side: white | 30 pieces | 1,48 €/m |
|  | 52 | Wall spring clip width: 16 mm length: 110 mm bronzed | 100 pieces | 0,34 €/pce |
|  | 60 | Spring clip length: 180 mm | 500 pieces | 0,28 €/pce |
|  | 62 | Direct fix clip size: 50 x 55 mm galvanized | 100 pieces | 0,34 €/pce |
|  | 63 | Shadow Z profile height: 55 mm flange width: 19 mm length: 3000 mm length: 4000 mm galvanized specia length on request | 10 pieces 10 pieces | 3,19 €/m 3,19 €/m |
| | | | | |
|  | 64 | Connection for profile no. 63 height: 54 mm width: 20 mm length: 150 mm galvanized | 100 pieces | 0,87 €/pce |
|  | 70 | Primary tee profile height: 40 mm width: 40 mm length: 5000 mm galvanized | 8 pieces | 3,36 €/m |
|  | 76 | Safety pin for Nonius hanger length: approx. 70 mm thickness: 3 mm galvanized | 100 pieces | 0,12 €/pce |
|  | 77 | Connector length: 100 mm | 100 pieces | 0,29 €/pce |
|  | 91 | Wood screw 5 x 25 mm galvanized | 500 pieces | 0,17 €/pce |

| | No. | Product/component description | Units/pack | Price |
|---|-----------------|---|------------|--------------------|
|  | | Contura plane for reforming contura edges on perimeter tiles | | |
| | 99/11/19 | Contura plane for contura edge K 15, 15 mm boards | 1 piece | 60,51 €/pce |
| | 99/11/21 | for contura edge K 15, 20 mm boards | 1 piece | 60,51 €/pce |
| | 99/11/22 | for contura edge K 15b, 15 mm boards | 1 piece | 60,51 €/pce |
| | 99/11/23 | for contura edge K 15b, 20 mm boards | 1 piece | 60,51 €/pce |
|  | 99/24 | Glue for OWApplan 310 ml cartridge | 12 pieces | 7,83 €/pce |
|  | 819 | Hold down clip for no. 45, 46, 47 corrosion-resistant for fixing the tile around the edge 4c, system S 19 | 500 pieces | 0,24 €/pce |
|  | 1456 | Wall angle height: 32 mm width: 15 mm length: 3000 mm upstand: 7.5 mm visible side: white | 10 pieces | 1,22 €/m |
| | 1808 | Replacement blades for planers | 10 pieces | 13,66 €/pce |
|  | 2001 | Nonius hanger lower part for CD profile 60 x 27 mm length: 130 mm maximum load: 0.40 kN galvanized | 100 pieces | 0,75 €/pce |
|  | 2003 | CD profile 60 x 27 mm length: 4000 mm | 12 pieces | 2,47 /m |
|  | 2004 | Cross connector height: 40 mm width: 60 mm, depth: 45 mm galvanized | 100 pieces | 0,46 €/pce |

| | No. | Product/component description | Units/pack | Price |
|---|-------------|---|------------|------------------------|
|  | 2005 | CD profile connector height: 25 mm width: 60 mm length: 80 mm galvanized | 100 pieces | 0,30 €/pce |
|  | 2012 | U-shaped hanger for sloping installation/ as direct hanger suitable for no.2003 length: 125 mm galvanized | 100 pieces | 0,39 €/pce |
|  | 2013 | Nonius hanger for sloping installation suitable for no.16/... 30 x 60 mm length: 170 mm galvanized | 100 pieces | 0,90 €/pce |
|  | 2014 | Glue, filling paste grey, 310 ml cartridge | 12 pieces | 6,77 €/pce |
|  | 2019 | Plate screw | 500 pieces | 40,00 €/package |
|  | 2024 | Tapping screw for no. 51/22 | 100 pieces | 14,00 €/package |
|  | 3500 | Main tee height: 38 mm width: 14.3 mm length: 3000 mm cross tee slots at 600 mm centres exterior: white, recess: white | 20 pieces | 3,13 €/m |
|  | 3501 | Main tee height: 38 mm width: 14.3 mm length: 3600 mm cross tee slots at 1200 mm centres exterior: white, recess: white | 20 pieces | 3,13 €/m |

| | No. | Product/component description | Units/pack | Price |
|---|------------------|---|-------------|---------------------|
|  | 3502 | Main tee slots at 600 mm, without press cut height: 38 mm width: 14.3 mm length: 3000 mm exterior: white, recess: white | 20 pieces | 3,13 €/m |
|  | 3511 | Cross tee height: 38 mm width: 14.3 mm length: 300 mm exterior: white, inside: white | 60 pieces | 3,13 €/m |
|  | 3512 | Cross tee height: 38 mm width: 14.3 mm length: 600 mm exterior: white, recess: white | 60 pieces | 3,13 €/m |
|  | 3514 | Cross tee height: 38 mm width: 14.3 mm length: 1200 mm exterior: white, recess: white, with central cross tee slot | 60 pieces | 3,13 €/m |
|  | 3524 | Cross tee height: 38 mm width: 14.3 mm, length: 1200 mm exterior: white, recess: white, without central cross tee slot | 60 pieces | 3,13 €/m |
|  | 4437 | Fire resistant tape 12 x 1.5 mm (where fire resistance is required) | 25 m roll | 3,63 €/m |
|  | 8031 / 9 | Comfort access trap for OWAplan/RAW ceilings 340 x 340 mm (external dimension) Attention: additional suspension required (see OWAplan/RAW Comfort access trap installation guide) | bulk-packed | 137,55 €/pce |
|  | 8031 / 10 | Comfort access trap for OWAplan/RAW ceilings 540 x 540 mm (external dimension) Attention: additional suspension required (see OWAplan/RAW Comfort access trap installation guide) | bulk-packed | 146,90 €/pce |

| | No. | Product/component description | Units/pack | Price |
|---|-----------------|---|-------------|--------------------|
|  | 8040 | Reinforcing spline 1240 mm, to be cut onsite to size 1189 mm galvanized | 25 pieces | 2,01 €/m |
|  | 8041 | Fixing clip for no. 8040 (8 pieces per tile) | 250 pieces | 0,24 €/pce |
|  | 8069 / 6 | Pattress for OWAplan consisting of frame components (2 pieces) length: 340 mm | bulk-packed | 37,79 €/pce |
| | 99725* | OWA repair set for RAW structure | 1 piece | 6,49 €/pce |


* Available in EU only

List of packaging

| Tile type | Dimensions (mm) | Thickness (mm) | Package content (pieces) | Package content (m²) | Package weight (approx. kg) | Packaging |
|----------------------------|---|----------------|--------------------------|----------------------|-----------------------------|---------------------------|
| Standard formats | 600 x 600 overall | 15 | 10 | 3.60 | 19 | Foil |
| | 600 x 600 edge 3 | 15 | 12 | 4.32 | 22 | Foil |
| | 625 x 625 overall | 15 | 10 | 3.90 | 20 | Foil |
| | 625 x 625 edge 3 | 15 20 | 12 8 | 4.69 3.12 | 24 20 | Foil Foil |
| | 1200 x 150 1200 x 300 1200 x 600 edge 15b/10 | 20 | 10 10 6 | 1,80 3,60 4,32 | 9 18 21,6 | Foil Foil Foil |
| | 1200 x 600 | 15 20 | 10 8 | 5.76 5.76 | 30 39 | Foil Foil |
| | 1250 x 625 | 15 20 | 10 8 | 7.80 6.25 | 41 42 | Foil Foil |
| Rectangular formats | 1250 x 312.5 | 15 20 | 10 8 | 3.60 2.88 | 19 20 | Foil Foil |
| Large format tiles | 1200 x 1200 | 20 | 6 | 8.64 | 58 | Foil |
| OWAplan | 1200 x 800 2400 x 1200 | 20 20 | 40* 40* | 5.76 86.40 | 40 605 | Cardboard Foil/Pallets |

Internationally awarded for outstanding design

OWAconsult collection



reddot design award
best of the best 2018

Terms and conditions of sale, delivery and payment

1. General, offer, order and conclusion of contract

(1) All offers of the seller, the acceptance of offers and all deliveries and services are carried out exclusively on the basis of the following terms and conditions. These terms and conditions also apply to any and all future and similar business transactions with the purchaser. Deviating purchase terms of the purchaser are hereby expressly disacknowledged. They are only valid if the seller acknowledges them in writing.

(2) All orders, subsidiary agreements, reservations, changes or amendments to a contract require written form to become valid. Oral or written agreements deviating from contract conditions and/or order confirmations of the seller require for their validity the written consent of the seller's statutory representatives or prokurists [holders of special power of attorney] in a number fit to represent the seller. The seller's office and field service staff is not authorised to make any deviating agreements or to grant any special conditions.

(3) Offers of the seller are subject to change without notice. A sales, delivery or any other contract is only effective upon delivery of the order confirmation or upon delivering of the goods to the purchaser.

(4) All information on products of the seller, in particular, but not limited to, illustrations, drawings, measurements and service information contained in offers and publications, are to be seen as approximate average values. They are not guaranteed qualities but descriptions of the goods. This also applies to specimens and samples. Variations customary in this particular line of business are permissible unless in the order confirmation specifications are marked as binding. Excess or short deliveries, which are taken into account in the invoice, may be carried out to the extent of 10 % as customary in this line of business.

(5) The seller reserves its title and copyright in any illustrations, drawings, calculations, other documents as well as in any specimen and sample. They may be made accessible to third parties only upon express consent of the seller.

(6) If the seller advises the purchaser free of charge no contractual or other legal relation comes into existence between the seller and the purchaser. The same applies, if the seller provides information or recommendations to the purchaser free of charge. A deviating agreement must be in writing to be effective. Implicit contracts on advice, information or recommendations are excluded.

(7) Advice, recommendations or information provided to the purchaser in the course of contract negotiations or in the process of initiating a contract or an order are binding for the seller only if they are confirmed by the seller at least in the form of a text.

2. Pricing and packaging

(1) The prices on the day of delivery as stated from time to time in the seller's price lists shall apply unless a fixed price was explicitly agreed. The prices are understood to be net and without any VAT and discount. The fixed prices shall be valid for four months from the conclusion of the contract. If longer delivery dates have been agreed, or if the purchaser is responsible for an actual delay in delivery and if, in the meantime, there have been changes in material and energy costs, wages or any other general production costs, the sales prices generally valid at the time of delivery shall apply.

(2) All prices are understood to be ex works or ex stocks. Packaging material is charged at cost price and not taken back, with the exception of recyclable pallets which will be taken back without refund.

(3) To the extent that free-of-charge deliveries have been agreed, all prices are understood to be in EUR per sales quantity unit plus statutory VAT, not unloaded, free of charge ex stock or ex passable construction site on mainland Germany. A flat-rate freight will be charged for small quantities. A flat-rate for setup costs will be charged for small quantities of commissioned goods. The valid flat-rates are listed in the current price-lists.

(4) The purchaser shall pay, in advance and without any cash discount, transshipment fees, freight charges and duty according to the prices valid on the day of conclusion of contract. Any changes in transshipment costs, freight charges and duty shall be credited or debited to the purchaser.

3. Payments

(1) Payments are due immediately after invoicing, in cash, without any discount and franco domicile of the seller. Discounts for cash payments require explicit agreement. Each contracting party is entitled to prove any damage due to delay in performance which exceeds the statutory scope.

(2) Bills of exchange and cheques shall be accepted only upon explicit agreement and on account of performance. Discount, collection and other charges are at the purchaser's expense.

(3) If payment in a foreign currency is agreed, the purchaser is obliged to pay in the currency agreed upon. If, between conclusion of the contract and receipt of payment the foreign currency upon which the purchase price is based, has depreciated in comparison with the domestic currency, the purchaser has to settle the differential amount.

(4) The purchaser can only set off undisputed or res judicata claims, or claim right of retention therefore. Any retention of payment is excluded if the claim to retention is based on a different contractual relation.

(5) All claims shall fall due upon suspension of payment, the application for the opening of insolvency proceedings, or the opening of insolvency proceedings over the assets of the purchaser. In such event any and all discounts and allowances shall be inapplicable. If after the conclusion of the contract it becomes apparent that financial or economic situation of the purchaser does not allow a granting of credits or payment periods, the seller may demand collateral securities to be provided or the advance payment of all claims, and refuse fulfilment until such collateral security is provided or payment is made. If collateral securities and/or the advance payment are not provided within the required period, the seller may withdraw from the contract or claim damages for of non-performance.

4. Delivery

(1) If possible, the seller shall adhere to the terms specified for delivery and service. Any indication of time shall, however, only be seen as approximations.

(2) The delivery periods shall commence with the date of the seller's order confirmation. They shall be deemed adhered to upon notification of the goods being ready for dispatch if the dispatch is not possible for reasons beyond the seller's control. If the purchaser picks the goods up himself, the delivery periods and dates shall refer to the point of time for which the seller has declared the goods ready for dispatch. The agreed delivery periods and dates shall be extended – without prejudice to the rights of the seller resulting from the purchaser's default – by the period of time the purchaser is in default based on this or any other contract. The right to self-delivery shall be reserved.

(3) Together with the delivery the seller will issue the purchaser an invoice for the goods delivered. If the purchaser does not receive the invoice without undue delay after delivery, it is obliged to send the seller a reminder within 8 days after receipt of delivery. If this is not done, no deductions for cash discount and no other payment reductions may be made.

(4) If the seller is in default, the purchaser shall allow the seller a reasonable extension period of at least 30 days. After the expiry of the extension period, the purchaser may withdraw from the contract unless the goods were declared ready for dispatch before expiry of the extension period.

(5) In the case of war, strike, lock-out, a shortage of raw materials or energy, disruptions of operation and traffic, restraints of rulers as well as in any other cases of force majeure regardless of whether they concern the seller, the seller's suppliers or carriers and for which the seller is not responsible and which impair or prevent the business concerned from being carried out, the delivery period of the seller shall be extended by the period of the delay plus a reasonable start-up time. The seller shall notify the purchaser without undue delay about such kind of delay. If, by the aforementioned circumstances, delivery or services are made impossible or cannot reasonably be expected from the seller, the seller shall be entitled to withdraw from the contract in part or in whole, without the purchaser being entitled to asset claims for damages because of such withdrawal.

5. Dispatch and passing of risk

(1) Dispatch and transport are carried out at the expense and risk of the purchaser. Goods that have been declared ready for dispatch by the agreed date shall be called for immediately. Otherwise the seller is entitled to store them at its own discretion at the cost and risk of the purchaser and to invoice them as if they had been delivered.

(2) Upon handing the goods over to the forwarder or the carrier, however at the latest upon the goods leaving the plant or the warehouse, the risk – including the risk of seizure – shall pass to the purchaser. This also applies if partial deliveries are made, or if the seller provides any other additional services, e.g. payment of the forwarding or delivery costs.

6. Discovery of defects and warranty

(1) After receipt of the goods the purchaser shall examine the goods without undue delay, but at the latest prior to any installation or processing, and notify the seller of any defects in writing. The purchaser's duty to examine applies to the entire consignment. If no complaint is made in time with respect to any defects of goods the delivery shall be considered performed in accordance with the contract. The same applies to any wrong deliveries as well as any variations in quantity not covered by clause 1.(4).

(2) The burden of proof that the goods were already defective at the time the risk passed to the purchaser rests on the purchaser. In particular, but not limited to, this applies for defects not notified after receipt of the goods without undue delay.

(3) Guarantees or taking over of a procurement risk have to be expressly stipulated. Features which the purchaser may expect by virtue of public statements concerning the good's features that are made by the seller or persons assisting him, in particular in advertisements or in connection with labelling, do not belong to the agreed quality, unless they are expressly stipulated. Stipulations according to this subparagraph (2) must be in writing to be effective.

(4) Irrelevant defects, particularly minor variations in colour and structure as well as immaterial variations in length, width and thickness of the material delivered do not entitle to any notification of defects.

(5) In the case of properly notified, justified defects, the seller in its free discretion shall be entitled to either supply replacement free of charge or rectify the defects. Should the supply of a replacement or the rectification of a defect fail twice, the purchaser shall be entitled to reduce to purchase price or to withdraw from the contract. A purchaser withdrawing from the contract in the event of deterioration, loss or destruction of the goods to be returned to the seller shall compensate the seller for lost value also in cases where neither the purchaser nor the seller is responsible for such deterioration, loss or destruction. With regard to the assertion of claims for damages due to defects it is referred to the statutory provisions without prejudice to the exclusion and limitation of liability according to clause 7.

(6) The appropriate storage and treatment of the goods delivered is the prerequisite for sustaining the purchaser's warranty claims. The seller shall be given the opportunity to inspect the goods complained about. If such opportunity is not granted and if on request of the seller the purchaser does not make the goods available to the seller without undue delay, any claims based on defects shall cease to exist.

(7) If the goods delivered have been used consistent with their customary use for a building and such goods have caused the defectiveness of such building the warranty period shall be five years from the date of handing over of the goods. In all other cases the warranty period shall be one year from the time of handing over of the goods. If a defect has been fraudulently concealed, the statutory warranty period shall apply.

(8) The forwarder shall be notified of any damage to goods in transit. In this respect, the notification duties specified in the General German Forwarder's Conditions [Allgemeine Deutsche Speditionsbedingungen] (ADSp) shall apply.

7. Liability

(1) For injury to life, body and health, the seller shall be liable in the case of slight negligence. Likewise, the seller shall be liable in the case of slight negligence for the violation of contractual obligations which are indispensable for achieving the contractual objective (cardinal obligations). In all other cases of contractual and extra-contractual liability the seller shall be responsible only for wilful intent and gross negligence. This applies in particular for the case of damages caused by a violation of duties or delay in performance (default), damages in lieu of performance, reimbursement of expenditures in vain as well as in cases of tort or product liability – except for any liability under mandatory product liability laws. Moreover, where a guarantee or procurement risk is assumed, the seller shall be liable only in the case of wilful intent or gross negligence, unless otherwise expressly stipulated in the contractual provisions.

(2) The seller is liable only for contract-typical and foreseeable damage. This liability limitation shall not apply if statutory representatives or executive staff of the seller have acted with wilful intent or gross negligence or in the case of liability for injury to life, body or health.

(3) With the exception of liability due to wilful intent or injury to life, body or health and unless claims for damages fall under the statute of limitations within a shorter period by operation of law or based on other provisions of the agreement claims for damages shall fall under the statute of limitations within two (2) years from the time the purchaser has gained knowledge of the circumstances establishing the claim and of the seller as obligor of damages or in the absence of gross negligence should have gained knowledge thereof. In all other cases Sec. 199 para. 2 and 3 of the Civil Code (BGB) shall apply.

(4) The seller shall be liable for advice, recommendations or information only if the purchaser and the seller have entered into a contract on such advice, recommendation or information, or if the seller is liable for the advice, the recommendation or the information under aspect of tort or culpa in contrahendo. Moreover is the seller's liability for advice, recommendations and information regulated by clauses 7.(1) to (3)

(4) The liability provisions pursuant to clause 7. (1) to (4) also apply in favour of employees of the seller as well as of affiliate companies and subsidiaries.

8. Reservation of title

(1) The seller reserves the ownership of all goods delivered by it until the purchaser has settled all (also future) claims that have arisen from the business relationship. If deliveries are carried out by current account, the reservation of title shall serve as a security for the accounting balance.

(2) The purchaser shall be entitled to dispose of the purchased goods within the limits of an orderly course of business. All claims resulting from the sale of goods in which the seller has retained its ownership (hereinafter referred to as "Goods Subject to Retention of Ownership") including any and all claims for accounting balances resulting from current accounts shall be assigned already now

and in total by the purchaser to the seller. Other than regulated in the preceding sentence claims resulting from the sale of Goods Subject to Retention of Ownership together with third-party goods at a total price are assigned to the seller only in a portion in the amount of the invoice value of the Goods Subject to Retention of Ownership. Likewise, any claims against insurance companies or third parties resulting from damage to Goods Subject to Retention of Ownership shall hereby be assigned to the seller.

(3) The combination, processing, assembly and any other way of utilisation of Goods Subject to Retention of Ownership is effected for the seller, but without any obligations for it. If Goods Subject to Retention of Ownership are processed, combined or mixed with goods possessed by a third party, the seller is entitled to joint ownership of the new object or the mixed stock in a proportion of the invoice value of the Goods Subject to Retention of Ownership to the invoice value of the other utilised goods. If the ownership of the seller in the Goods Subject to Retention of Ownership ceases to exist through combination or mixture it is already now agreed that the ownership or co-ownership in the uniform object or the uniform stock resulting from such combination or mixture vests in the seller in a proportion according to the invoice value of the Goods Subject to Retention of Ownership. The purchaser shall keep goods in which the seller has co-ownership rights in safe custody for the seller free of charge. Goods being subject to the seller's title or ownership rights as mentioned above shall be considered as Goods Subject to Retention of Ownership within the meaning of clause 8. (1).

(4) The seller revocably authorises the purchaser to collect in its own name claims assigned to the seller on account of the seller. This authorisation can be revoked only if the purchaser does not comply properly with its payment obligations.

(5) If the realisable value of the collateral securities provided to the seller exceeds the claims to be secured by more than 20 %, the seller is, upon the purchaser's request, obliged to release collateral securities of its choice.

(6) If the seller does not comply with its contractual duties, particularly in the event of default in payment, the seller shall have the right to withdraw from the contract and to request that the Goods Subject to Retention of Ownership are returned to the seller. In such an event the seller is entitled to invoice a flat rate of 15 % of the order value for the costs in connection with the return, unless the purchaser proves that the seller had no or less costs because of the return of the goods..

(7) The purchaser is not permitted to pledge or to transfer by way of security Goods Subject to Retention of Ownership until any and all claims of the seller have been settled. In case third parties take hold of Goods Subject to Retention of Title, in particular, but not limited to, in case of a seizure, the purchaser is obliged to make such third party aware of the retention of title in the Goods Subject to Retention of Title, and to notify the seller without undue delay of any seizure, opening of insolvency proceedings or any other legally relevant events which might impair the rights of the seller in the Goods Subject to Retention of Title. In the case of suspension of payment, the Goods Subject to Retention of Title shall, without special solicitation, be singled out and kept at the disposal of the seller.

9. Part performance

The seller is entitled to part performance within a reasonable scope; each part performance shall be seen as independent business transaction.

10. Place of performance and place of jurisdiction

(1) Place of performance for the delivery is the respective loading station. Place of performance for payments is Amorbach.

(2) Place of jurisdiction for any disputes from the contract between the parties, including actions arising from a bill or a cheque, shall be Amorbach to the extent that the purchaser is a merchant, a legal person under public law or a special fund under public law.

(3) For all legal relations between seller and purchaser the laws of the Federal Republic of Germany shall apply. The UN Sales Convention (CISG) as well as any international agreements, even after their adoption into German law, shall not apply.

11. Partial invalidity

If one of the aforementioned provisions or a part thereof should be or become invalid or do not contain a regulation that is required the validity of the remaining provisions shall not be affected. For the event of the invalidity of individual provisions the parties shall agree on a regulation which comes as close as possible to the economic result of the originally intended arrangement.

12. Translation

These terms and conditions of sale, delivery and payment are the translation of the German terms and conditions of sale, delivery and payment. In case of doubt the German version of the terms and conditions of sale, delivery and payment is binding.

Errors excepted!

Please kindly request the terms and conditions of sale, delivery and payment of your country.

(Dated: 2018)



Thinking ahead: OWAconsult

OWAconsult was founded in 2009 as an independent consulting and planning unit of Odenwald Faserplattenwerk GmbH. OWAconsult sees itself as a competence centre for dry interior construction, specialising in room acoustics, fire protection and ceiling systems. OWAconsult invites its customers to keep thinking further, together; to open up new architectural worlds and to breathe life into their visions. A telephone advice hotline offers instant access to our experts.

OWA in Amorbach:

Ceiling system manufacturer and acoustics specialist

Odenwald Faserplattenwerk GmbH is a family-run business with around 440 employees. The company is a market leader in mineral ceiling tiles in Germany, and over the decades has grown to become an internationally sought-after provider of system solutions for ceilings. Around 70 % of production is intended for export to around 80 different countries currently. OWA products carry quality and environmental seals from national and international standards and testing institutions.





Odenwald Faserplattenwerk GmbH

Dr.-F.-A.-Freundt-Straße 3
63916 Amorbach | Germany
tel +49 93 73.2 01-0 | info@owa.de
www.owa-ceilings.com



The information in this brochure is up-to-date at the time of publication. Errors and mistakes excepted. Please contact our competence team OWAconsult for specific advice. Our experts will be happy to answer your questions under the following contact details:
tel: +49 93 73. 2 01-4 44 or e-mail: info@owaconsult.de