


Rockfon Contour®

Datasheet



Rockfon Contour®


- Economic and aesthetically pleasing, frameless acoustic baffles
- Very quick and easy to install
- Ideally suited for enhancing acoustics in thermal mass areas or where frequent and unhindered access to services is required
- Used alone or to enhance the sound absorption of an existing ceiling

Product Description

- Stone wool baffle
- Visible sides: smooth, matt white, painted fleece
- Bevelled and painted edges
- Anchor points integrated during production

Application Areas

- Education
- Retail
- Healthcare
- Industry
- Office
- Leisure

Edge detail	Module size (mm)	Weight (kg/unit)	Recommended installation System
Ac 	1200 x 300 x 50	2.3	Rockfon® System Contour Ac Baffle™
	1200 x 600 x 50	4.6	Rockfon® System Contour Ac Baffle™


Contact us for special sizes, lead times and minimum quantities.



Performance



Sound absorption
 A_{eq} (m²/item)



	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
1200x600x50: single item (1 baffle/m ² ; row distance: 83 cm)	0.32	0.36	0.66	0.78	0.78	0.73



Reaction to fire
 A1



Light reflection
 79%



Humidity and sag resistance
 Up to 100% RH
 Rockfon Contour is not suitable for use in swimming pools or outdoors.
 For more information, please contact Rockfon.



Cleaning
 - Vacuum



Hygiene
 Stone wool provides no sustenance to microorganisms



Environment
 Recyclable



Indoor environment
 A selection of Rockfon products have been awarded the Finnish M1 emission classification for building materials and the Danish Indoor Climate Label for low emission products



Rockfon® is a registered trademark
of the ROCKWOOL Group.

 twitter.com/RockfonUK

 linkedin.com/company/Rockfon-as/

 instagram.com/Rockfon_official/

 youtube.com/RockfonUK

07.2020 | All colour codes mentioned are based on the NCS - Natural Colour System® property of and used on license from NCS Colour AB, Stockholm 2012 or the RAL colour standard. Subject to alterations in range and product technology without prior notice. Rockfon accepts no responsibility for printing errors.



Rockfon

ROCKWOOL Limited T/A Rockfon
14th Floor, Chiswick Tower, 389 Chiswick High Road,
London W4 4AL
Tel: +44 (0) 208 222 7457
www.rockfon.co.uk