


Rockfon[®] Logic[™]

Datasheet



Rockfon® Logic™



- An economic, wipeable white ceiling tile
- An easy-to-cut alternative to a plastic-faced plasterboard tile

Product Description

- Stone wool tile
- Visible side: micro-textured white painted fleece
- Rear side: back fleece

Application Areas

- Retail
- Education
- Healthcare
- Industry
- Office
- Leisure

| Edge detail | Module size (mm) | Weight (kg/m ²) | MS / MS easy access (mm) | Recommended installation System |
|---|------------------|-----------------------------|--------------------------|---------------------------------|
|  A15 | 600 x 600 x 12 | 1.6 | 50 / 100 | Rockfon® System T15 A™ |
| | 1200 x 600 x 12 | 1.6 | 50 / 100 | Rockfon® System T15 A™ |
|  A24 | 600 x 600 x 12 | 1.6 | 50 / 100 | Rockfon® System T24 A™ |
| | 1200 x 600 x 12 | 1.6 | 50 / 100 | Rockfon® System T24 A™ |


MS = Minimum Suspension



Performance



Sound absorption
 α_w : 0.50 (Class D)



Reaction to fire
 A1



Fire protection
 The fire resistant properties of stone wool ensure Rockfon ceiling tiles provide fire protection in construction. The fire protection properties of Rockfon ceilings have been tested and classified in accordance with European norm EN 13501-2 and/or national norms depending on requirements in national building codes.



Light reflection
 86%



Humidity and sag resistance
 Up to 100% RH.
 No visible deflection in high humidity



Cleaning
 - Vacuum
 - Damp cloth



Hygiene
 Stone wool provides no sustenance to microorganisms




Environment
 Recyclable





Indoor environment
 A selection of Rockfon products have been awarded the Finnish M1 emission classification for building materials and the Danish Indoor Climate Label for low emission products



Rockfon® is a registered trademark
of the ROCKWOOL Group.

 twitter.com/RockfonUK

 linkedin.com/company/Rockfon-as/

 instagram.com/Rockfon_official/

 youtube.com/RockfonUK

07.2020 | All colour codes mentioned are based on the NCS - Natural Colour System[®] property of and used on license from NCS Colour AB, Stockholm 2012 or the RAL colour standard. Subject to alterations in range and product technology without prior notice. Rockfon accepts no responsibility for printing errors.



Rockfon
ROCKWOOL Limited T/A Rockfon
14th Floor, Chiswick Tower, 389 Chiswick High Road,
London W4 4AL
Tel: +44 (0) 208 222 7457
www.rockfon.co.uk